# Order of Operations with Decimals (A)

Name: \_\_\_\_\_

Date:

$$(-7.5)^2 + (-5.3) \times (-1.9)$$
  $2.8 \times (-5.6) - (-7.5)^2$ 

$$(-4.7)^2 + 8.5 \times (-9.6)$$
  $(8.2 + (-1.9))^2 \div (-2.7)$ 

$$(-5.4) - (-4.6)^2 \times (-2.5)$$
 (3.9)<sup>2</sup> - 5.7 × 7.8

$$6.7 \times (-4.1) - (0.5)^2$$
  $(-1.6)^2 - (-6.7) \times (-8.8)$ 

$$(-3.7) \times (-2.9) - (-9.4)^2$$
  $(-7.6) \times (-4.5) + (-1.7)^2$ 

#### Order of Operations with Decimals (A) Answers

Name:

Date:

Solve each expression using the correct order of operations.

$(-7.5)^2 + (-5.3) \times (-1.9)$
$= 56.25 + (-5.3) \times (-1.9)$
= <u>56.25 + 10.07</u>
= 66.32

 $\frac{(-4.7)^2}{=22.09} + \frac{8.5 \times (-9.6)}{=22.09} + \frac{8.5 \times (-9.6)}{(-81.6)} = -59.51$ 

$$(-5.4) - (-4.6)^{2} \times (-2.5)$$
  
= (-5.4) - 21.16 × (-2.5)  
= (-5.4) - (-52.9)  
= 47.5

 $6.7 \times (-4.1) - (0.5)^{2}$ =  $6.7 \times (-4.1) - 0.25$ = (-27.47) - 0.25= -27.72

$(-3.7) \times (-2.9) - \underline{(-9.4)^2}$
= <u>(-3.7) × (-2.9)</u> - 88.36
= <u>10.73 - 88.36</u>
= -77.63

 $2.8 \times (-5.6) - (-7.5)^{2}$ =  $2.8 \times (-5.6) - 56.25$ = (-15.68) - 56.25= -71.93

$$\left(\frac{8.2 + (-1.9)}{(-2.7)}\right)^2 \div (-2.7)$$
  
=  $\frac{(6.3)^2}{(-2.7)} \div (-2.7)$   
=  $\frac{39.69 \div (-2.7)}{(-2.7)}$   
=  $-14.7$ 

$$\frac{(3.9)^2}{=15.21 - 5.7 \times 7.8}$$
  
= 15.21 - 5.7 × 7.8  
= 15.21 - 44.46  
= -29.25

$$\frac{(-1.6)^2}{(-6.7) \times (-8.8)}$$
  
= 2.56 - (-6.7) × (-8.8)  
= 2.56 - 58.96  
= -56.4

$$(-7.6) \times (-4.5) + (-1.7)^{2}$$
  
=  $(-7.6) \times (-4.5) + 2.89$   
=  $34.2 + 2.89$   
=  $37.09$ 

# Order of Operations with Decimals (B)

Name:

Date:

$$(-6.5) + (1.1)^2 \div (-2.2)$$
  $(-1.7)^2 + 4.7 \times 9.7$ 

$$\left((-4.4)^2-(-2.1)\right)\times 2.5 \qquad \qquad 6.2\times 5.6+(-2.5)^2$$

$$(-7.4) - (8.1)^2 \div 1.5$$
  $(-2.3) \times 0.6 - (9.3)^2$ 

$$(4.3)^2 - (-3.3) \times (-8.2)$$
 (7.1)<sup>2</sup> - 2.1 × 8.2

$$(-6.3)^2 + 0.8 \times 5.5$$
  $(0.1 + (-3.7)^2) \div (-3.5)$ 

### Order of Operations with Decimals (B) Answers

Name:

Date:

Solve each expression using the correct order of operations.

$(-6.5) + (1.1)^2 \div (-2.2)$	$(-1.7)^2 + 4.7 \times 9.7$
$= (-6.5) + \underline{1.21 \div (-2.2)}$	$= 2.89 + \underline{4.7 \times 9.7}$
= <u>(-6.5) + (-0.55)</u>	= <u>2.89+45.59</u>
= -7.05	= 48.48

$$\left(\frac{(-4.4)^2}{-} - (-2.1)\right) \times 2.5$$
$$= \left(\frac{19.36 - (-2.1)}{-}\right) \times 2.5$$
$$= \frac{21.46 \times 2.5}{-}$$
$$= 53.65$$

$$(-7.4) - (8.1)^{2} \div 1.5$$
  
= (-7.4) - 65.61 ÷ 1.5  
= (-7.4) - 43.74  
= -51.14

$$\frac{(4.3)^2}{=18.49 - (-3.3) \times (-8.2)}$$
  
= 18.49 - (-3.3) × (-8.2)  
= 18.49 - 27.06  
= -8.57

 $\frac{(-6.3)^2}{= 39.69 + 0.8 \times 5.5}$ = <u>39.69 + 0.8 × 5.5</u> = <u>39.69 + 4.4</u> = 44.09

$$6.2 \times 5.6 + (-2.5)^{2}$$
  
= 6.2 × 5.6 + 6.25  
= 34.72 + 6.25  
- 40.97

$$(-2.3) \times 0.6 - (9.3)^{2}$$
  
= (-2.3) × 0.6 - 86.49  
= (-1.38) - 86.49  
= -87.87

$$\frac{(7.1)^2}{= 50.41 - 2.1 \times 8.2}$$
  
=  $\frac{50.41 - 2.1 \times 8.2}{= 33.19}$ 

$$\begin{pmatrix} 0.1 + (-3.7)^2 \\ (-3.5) \\ = (0.1 + 13.69) \div (-3.5) \\ = 13.79 \div (-3.5) \\ = -3.94$$

# Order of Operations with Decimals (C)

Name: \_\_\_\_\_

Date:

$$0.8 \div ((-8.3) + 9.1)^2$$
  $6.4 \times 0.5 + (3.3)^2$ 

$$((-1.5) + 8.7) \div (-0.3)^2 \\$$

$$(2.2)^2 \times (-7.5) + 5.2$$
  $(7.5)^2 + 1.5 \times 6.4$ 

$$(-2.8)^2 - 9.7 \times (-1.7)$$
  $(-1.6)^2 + 9.5 \times (-0.2)$ 

$$0.8 \times (-0.5) - (-4.6)^2$$
  $(-5.6) \times (-7.9) - (9.9)^2$ 

### Order of Operations with Decimals (C) Answers

Name:

Date:

Solve each expression using the correct order of operations.

$0.8 \div \left( (-8.3) + 9.1 \right)^2$	$6.4\times0.5+\underline{(3.3)^2}$
$= 0.8 \div (0.8)^2$ $= 0.8 \div 0.64$	$= \underline{6.4 \times 0.5} + 10.89$ $= \underline{3.2 + 10.89}$ $= 14.09$
= 1.25	- 11.07

$(\underline{2.6+3.9})^2 \times 0.8$	$\left(\underline{(-1.5)+8.7}\right) \div (-0.3)^2$
$= \underline{(6.5)^2} \times 0.8$	$=7.2\div\underline{(-0.3)^2}$
$= \underline{42.25 \times 0.8}$	= <u>7.2 ÷ 0.09</u>
= 33.8	= 80

$(2.2)^2 \times (-7.5) + 5.2$	$(7.5)^2 + 1.5 \times 6.4$
= <u>4.84 × (-7.5)</u> + 5.2	$= 56.25 + \underline{1.5 \times 6.4}$
= <u>(-36.3) + 5.2</u>	= <u>56.25 + 9.6</u>
= -31.1	= 65.85

 $\underbrace{(-2.8)^2}_{= 7.84 - 9.7 \times (-1.7)} \qquad \underbrace{(-1.6)^2}_{= 2.56 + 9.5 \times (-0.2)} \\ = \underbrace{7.84 - (-16.49)}_{= 24.33} \qquad = \underbrace{2.56 + (-1.9)}_{= 0.66} \\$ 

$0.8  imes (-0.5) - {(-4.6)^2}$	$(-5.6) \times (-7.9) - \underline{(9.9)^2}$
= <u>0.8 × (-0.5)</u> - 21.16	= <u>(-5.6) × (-7.9)</u> - 98.01
= <u>(-0.4) - 21.16</u>	= <u>44.24 - 98.01</u>
= -21.56	= -53.77

# Order of Operations with Decimals (D)

Name: \_\_\_\_\_

Date:

$$(2.8 - 4.4) \times (-3.5)^2$$
  $(3.4)^2 - 4.4 \times (-9.2)$ 

$$(6.5 + (-7.9)) \div (-0.4)^2 \qquad \qquad ((-3.6) + 3.6) \div (-9.3)^2$$

$$5.3 \times 7.8 - (5.6)^2$$
  $(-7.8)^2 \div 1.2 + (-7.2)$ 

$$(2.2)^2 - (-3.6) \div 0.4$$
  $(3.4)^2 \times ((-4.3) + (-1.7))$ 

$$6.5 imes 1.8 - (-0.3)^2$$
  $(5.6 - (3.2)^2) imes 4.8$ 

## Order of Operations with Decimals (D) Answers

Name: \_\_\_\_\_

Date:

$(\underline{2.8-4.4}) \times (-3.5)^2$	$(3.4)^2 - 4.4 \times (-9.2)$
$=(-1.6) \times (-3.5)^2$	$=11.56 - 4.4 \times (-9.2)$
= <u>(-1.6) × 12.25</u>	= <u>11.56 - (-40.48)</u>
= -19.6	= 52.04

$$\begin{pmatrix} \underline{6.5 + (-7.9)} \\ \div (-0.4)^2 \\ = (-1.4) \div \underline{(-0.4)^2} \\ = \underline{(-1.4) \div 0.16} \\ = -8.75 \\ \end{pmatrix} \div (-9.3)^2 \\ = \underline{0 \div (-9.3)^2} \\ = \underline{0 \div 86.49} \\ = 0 \\ \end{cases}$$

$$5.3 \times 7.8 - (5.6)^{2} \qquad (-7.8)^{2} \div 1.2 + (-7.2)$$
  
=  $5.3 \times 7.8 - 31.36$   
=  $41.34 - 31.36$   
=  $9.98$   
=  $43.5$ 

$$\frac{(2.2)^2}{(-4.3)^2} - (-3.6) \div 0.4 \qquad (3.4)^2 \times ((-4.3) + (-1.7)) \\ = 4.84 - (-3.6) \div 0.4 \\ = \frac{4.84 - (-9)}{13.84} \qquad = \frac{(3.4)^2}{(-6)} \times (-6) \\ = \frac{11.56 \times (-6)}{-69.36} \\ = -69.36$$

$$6.5 \times 1.8 - (-0.3)^{2} \qquad (5.6 - (3.2)^{2}) \times 4.8$$
  
=  $6.5 \times 1.8 - 0.09$   
=  $11.7 - 0.09$   
=  $11.61$   
$$(5.6 - (3.2)^{2}) \times 4.8$$
  
=  $(-4.64) \times 4.8$   
=  $-22.272$ 

# Order of Operations with Decimals (E)

Name: \_\_\_\_\_

Date:

$$1.4 imes (-9.7) - (4.2)^2$$
  $(-0.1) - 4.8 imes (1.5)^2$ 

$$(6.5)^2 \div 2.5 + (-7.5)$$
  $(-5.8)^2 - (-3.3) \times (-3.4)$ 

$$(7.9 - 8.1) \times (-1.5)^2$$
  $((4.1)^2 - 2.5) \div 0.5$ 

$$(-7.2)^2 + (-1.4) \times (-9.5)$$
  $(-1.9)^2 - (-4.1) \times (-9.1)$ 

$$(-3.5) \times (2.2)^2 - 1.1$$
  $(-6.6) \times ((1.5)^2 + (-9.2))$ 

### Order of Operations with Decimals (E) Answers

Name:

Date:

$1.4 \times (-9.7) - (4.2)^2$	$(-0.1) - 4.8  imes (1.5)^2$
= <u>1.4 × (-9.7)</u> - 17.64	$=(-0.1)-\underline{4.8 imes2.25}$
= <u>(-13.58) - 17.64</u>	=(-0.1)-10.8
= -31.22	= -10.9

$(6.5)^2 \div 2.5 + (-7.5)$	$(-5.8)^2 - (-3.3) \times (-3.4)$
$= \underline{42.25 \div 2.5} + (-7.5)$	$= 33.64 - (-3.3) \times (-3.4)$
= <u>16.9+(-7.5)</u>	= <u>33.64 - 11.22</u>
= 9.4	= 22.42

$(\underline{7.9 - 8.1}) \times (-1.5)^2$	$\left(\frac{(4.1)^2}{2} - 2.5\right) \div 0.5$
$=(-0.2)\times \underline{(-1.5)^2}$	$=(\underline{16.81-2.5})\div 0.5$
$= \underline{(-0.2) \times 2.25}$	= <u>14.31 ÷ 0.5</u>
= -0.45	= 28.62

$\underline{(-7.2)^2} + (-1.4) \times (-9.5)$	$(-1.9)^2 - (-4.1) \times (-9.1)$
$=51.84 + \underline{(-1.4) \times (-9.5)}$	$= 3.61 - (-4.1) \times (-9.1)$
= <u>51.84 + 13.3</u>	= <u>3.61 - 37.31</u>
= 65.14	= -33.7

$$(-3.5) \times (2.2)^{2} - 1.1 \qquad (-6.6) \times ((1.5)^{2} + (-9.2))$$
  
=  $(-3.5) \times 4.84 - 1.1$   
=  $(-16.94) - 1.1$   
=  $-18.04$   
$$(-6.6) \times ((1.5)^{2} + (-9.2))$$
  
=  $(-6.6) \times (2.25 + (-9.2))$   
=  $(-6.6) \times (-6.95)$   
=  $45.87$ 

# Order of Operations with Decimals (F)

Name: \_\_\_\_\_

Date:

$$(-1.9)^2 \times (3.2 - (-3.8))$$
  $1.1 - 0.3 \div (0.2)^2$ 

$$(-0.9)\times 5.1 + (6.8)^2 \qquad \qquad (-9.8)^2 - 2.5\times 1.6$$

$$(4.4 + (-3.8)^2) \div 0.5$$
  $(-0.7)^2 + 4.5 \times (-3.6)$ 

$$(-5.2)^2 + 6.2 \times 2.5$$
  $(-9.7) - 3.75 \times (1.6)^2$ 

$$3.8 \times (-9.1) + (6.9)^2$$
  $(4.1 - (3.5)^2) \times (-6.4)$ 

### Order of Operations with Decimals (F) Answers

Name:

Date:

Solve each expression using the correct order of operations.

$(-1.9)^2 \times \left( \frac{3.2 - (-3.8)}{2} \right)$	$1.1 - 0.3 \div (0.2)^2$
$=(-1.9)^2 \times 7$	$= 1.1 - \underline{0.3 \div 0.04}$
$= 3.61 \times 7$	= <u>1.1 - 7.5</u>
= 25.27	=-6.4

$(-0.9)  imes 5.1 + {(6.8)^2 \over }$	$(-9.8)^2 - 2.5  imes 1.6$
= <u>(-0.9) × 5.1</u> + 46.24	$=96.04-\underline{2.5\times1.6}$
= <u>(-4.59) + 46.24</u>	= <u>96.04 - 4</u>
= 41.65	= 92.04

$$(4.4 + (-3.8)^2) \div 0.5 \qquad (-0.7)^2 + 4.5 \times (-3.6) = (4.4 + 14.44) \div 0.5 = 0.49 + 4.5 \times (-3.6) = 18.84 \div 0.5 = 0.49 + (-16.2) = 37.68 = -15.71$$

 $\underbrace{(-5.2)^2}_{= 27.04 + \underline{6.2 \times 2.5}} (-9.7) - 3.75 \times \underbrace{(1.6)^2}_{= (-9.7) - \underline{3.75 \times 2.56}} \\ = \underbrace{27.04 + \underline{15.5}}_{= 42.54} = \underbrace{(-9.7) - \underline{9.6}}_{= -19.3} \\$ 

$$3.8 \times (-9.1) + \underline{(6.9)^2} \qquad \qquad \left(4.1 - \underline{(3.5)^2}\right) \times (-6.4) \\ = \underline{3.8 \times (-9.1)} + 47.61 \qquad \qquad = (\underline{4.1 - 12.25}) \times (-6.4) \\ = \underline{(-34.58) + 47.61} \qquad \qquad = \underline{(-8.15) \times (-6.4)} \\ = \underline{13.03} \qquad \qquad = 52.16$$

# Order of Operations with Decimals (G)

Name:

Date:

$$((-4.7) + 8.1)^2 \div 0.5$$
  $(-2.3) \div 0.4 + (-6.4)^2$ 

$$4.9 \div (2.2 + (-3.2))^3 \qquad \qquad (-5.6)^2 + 2.9 \times (-0.1)$$

$$(-0.1) \div (-0.5)^2 + (-5.7)$$
  $(-2.4)^2 \div (-4.8) + 7.9$ 

$$(4.6)^2 \times ((-1.9) - 2.6)$$
 (6.4)<sup>2</sup> - 7.4 × 7.3

$$(-4.2) \times 1.4 + (-0.9)^2$$
  $((-7.4) - (-3.9)) \times (2.8)^2$ 

### Order of Operations with Decimals (G) Answers

Name:

Date:

Solve each expression using the correct order of operations.

$$((-4.7) + 8.1)^{2} \div 0.5$$

$$= (3.4)^{2} \div 0.5$$

$$= 11.56 \div 0.5$$

$$= 23.12$$

$$(-2.3) \div 0.4 + (-6.4)^{2}$$

$$= (-2.3) \div 0.4 + 40.96$$

$$= (-5.75) + 40.96$$

$$= 35.21$$

$$4.9 \div \left(\underline{2.2 + (-3.2)}\right)^{3} \qquad \qquad \underbrace{(-5.6)^{2} + 2.9 \times (-0.1)}_{= 31.36 + \underbrace{2.9 \times (-0.1)}_{= 31.36 + \underbrace{2.9 \times (-0.1)}_{= 31.36 + \underbrace{-0.29}_{= 31.07}}_{= 31.07}$$

$$(-0.1) \div (-0.5)^{2} + (-5.7) \qquad (-2.4)^{2} \div (-4.8) + 7.9$$
  
=  $(-0.1) \div 0.25 + (-5.7) \qquad = 5.76 \div (-4.8) + 7.9$   
=  $(-0.4) + (-5.7) \qquad = (-1.2) + 7.9$   
=  $-6.1 \qquad = 6.7$ 

$$(4.6)^{2} \times ((-1.9) - 2.6) \qquad \qquad (6.4)^{2} - 7.4 \times 7.3 \\ = (4.6)^{2} \times (-4.5) \\ = 21.16 \times (-4.5) \\ = -95.22 \qquad \qquad = -13.06$$

$$(-4.2) \times 1.4 + (-0.9)^{2} \qquad ((-7.4) - (-3.9)) \times (2.8)^{2}$$
  
=  $(-4.2) \times 1.4 + 0.81$   
=  $(-5.88) + 0.81$   
=  $-5.07$   
=  $(-3.5) \times (2.8)^{2}$   
=  $(-3.5) \times 7.84$   
=  $-27.44$ 

7.3

## Order of Operations with Decimals (H)

Name: \_\_\_\_\_

Date:

$$3.7 \times 3.8 + (-2.3)^2$$
  $((-0.5) - (-6.8))^2 \div 3.5$ 

$$(0.9)^2 - (-3.9) \times (-4.5)$$
  $1.7 \times 4.5 + (-4.3)^2$ 

$$(-9.3)^2 \times ((-5.8) - (-6.8))$$
  $((3.5)^2 - (-2.6)) \times 0.6$ 

$$\left( (-7.3) - (-6.9)^2 \right) \div 3.4$$
  $\left( (9.3)^2 + 1.6 \right) \div (-2.3)$ 

$$0.1 - (7.8)^2 \div (-7.2) \qquad (-0.7) \div 1.25 - (3.2)^2$$

### Order of Operations with Decimals (H) Answers

Name:

\_

=

Date:

$3.7 \times 3.8 + (-2.3)^2$	$\left(\frac{(-0.5) - (-6.8)}{2}\right)^2 \div 3.5$
$=$ $3.7 \times 3.8 + 5.29$	$= (6.3)^2 \div 3.5$
= <u>14.06 + 5.29</u> = 19.35	$=\overline{39.69 \div 3.5}$
- 17.55	= 11.34

$(0.9)^2 - (-3.9) \times (-4.5)$	$1.7  imes 4.5 + (-4.3)^2$
$= 0.81 - (-3.9) \times (-4.5)$	= <u>1.7 × 4.5</u> + 18.49
= <u>0.81 - 17.55</u>	= <u>7.65 + 18.49</u>
= -16.74	= 26.14

$$(-9.3)^{2} \times ((-5.8) - (-6.8)) \qquad \qquad ((3.5)^{2} - (-2.6)) \times 0.6$$
  
=  $(-9.3)^{2} \times 1$   
=  $86.49 \times 1$   
=  $86.49$   
=  $86.49$   
=  $86.49$   
=  $8.91$ 

$$\begin{pmatrix} (-7.3) - (-6.9)^2 \end{pmatrix} \div 3.4 \qquad \qquad \begin{pmatrix} (9.3)^2 + 1.6 \end{pmatrix} \div (-2.3) \\ = ((-7.3) - 47.61) \div 3.4 \qquad = (86.49 + 1.6) \div (-2.3) \\ = (-54.91) \div 3.4 \qquad = 88.09 \div (-2.3) \\ = -16.15 \qquad = -38.3$$

$$\begin{array}{ll} 0.1 - (\underline{7.8})^2 \div (-7.2) & (-0.7) \div 1.25 - (\underline{3.2})^2 \\ = 0.1 - \underline{60.84} \div (-7.2) & = (\underline{-0.7}) \div 1.25 - 10.24 \\ = \underline{0.1 - (-8.45)} & = (\underline{-0.56}) - 10.24 \\ = 8.55 & = -10.8 \end{array}$$

# Order of Operations with Decimals (I)

Name:

Date:

Solve each expression using the correct order of operations.

$$3.7 \times (3.1 - 6.1)^3$$
  $(1.7)^2 - 0.2 \times (-2.7)$ 

$$(6.3)^2 + (-6.5) \div (-1.3)$$
  $6.8 \times 3.4 + (-0.5)^2$ 

$$(-7.6) \div (0.4)^2 + 6.9$$
  $(3.4)^2 - (-7.2) \times 7.6$ 

$$(4.9)^2 - (-5.1) \times 3.8$$
  $((-2.9) - (-3.6)^2) \div (-6.1)$ 

 $2.2 \times 6.6 - (1.2)^2$   $(8.1)^2 - 9.9 \times 2.9$ 

#### Order of Operations with Decimals (I) Answers

Name:

Date:

Solve each expression using the correct order of operations.

$3.7 \times (\underline{3.1 - 6.1})^3$	$(1.7)^2 - 0.2 \times (-2.7)$
$=3.7 imes (-3)^3$	$= 2.89 - 0.2 \times (-2.7)$
$=\underline{3.7\times(-27)}$	= <u>2.89 - (-0.54)</u>
= -99.9	= 3.43

$(6.3)^2 + (-6.5) \div (-1.3)$	$6.8  imes 3.4 + (-0.5)^2$
$= 39.69 + \underline{(-6.5) \div (-1.3)}$	= <u>6.8 × 3.4</u> + 0.25
= <u>39.69 + 5</u>	= <u>23.12 + 0.25</u>
= 44.69	= 23.37

$(-7.6) \div \underline{(0.4)^2} + 6.9$	$(3.4)^2 - (-7.2) \times 7.6$
= <u>(-7.6) ÷ 0.16</u> + 6.9	$= 11.56 - (-7.2) \times 7.6$
= <u>(-47.5) + 6.9</u>	$= \underline{11.56 - (-54.72)}$
= -40.6	= 66.28

 $\frac{(4.9)^2}{(-5.1) \times 3.8} \qquad \qquad \left( (-2.9) - \underline{(-3.6)^2} \right) \div (-6.1)$ = 24.01 - (-19.38) = 43.39  $= \frac{(-15.86) \div (-6.1)}{(-6.1)}$ = 2.6

 $2.2 \times 6.6 - (1.2)^{2}$ =  $2.2 \times 6.6 - 1.44$ = 14.52 - 1.44= 13.08

$$\frac{(8.1)^2}{=65.61 - 9.9 \times 2.9}$$
  
= 65.61 - 9.9 × 2.9  
= 65.61 - 28.71  
= 36.9

# Order of Operations with Decimals (J)

Name: \_\_\_\_\_

Date:

$$(-8.2) \times 5.7 + (-7.9)^2$$
  $8.8 \times 0.9 - (-2.6)^2$ 

$$6.7 - (-5.5)^2 \times 3.2$$
  $(2.9)^2 + 8.3 \times 6.6$ 

$$(2.9)^2 - (-0.1) \times (-7.6)$$
  $(0.7)^2 + 5.4 \times (-9.8)$ 

$$0.6 \times 7.5 + (-0.8)^2$$
  $(-1.3) \times 2.8 - (6.1)^2$ 

$$(2.4)^2 - 8.2 \times (-6.1)$$
  $(-8.4)^2 \div 6.3 - (-2.4)$ 

### Order of Operations with Decimals (J) Answers

Name:

Date:

Solve each expression using the correct order of operations.

$(-8.2) \times 5.7 + (-7.9)^2$	$8.8  imes 0.9 - \underline{(-2.6)^2}$
= <u>(-8.2) × 5.7</u> + 62.41	= <u>8.8 × 0.9</u> - 6.76
= <u>(-46.74) + 62.41</u>	= <u>7.92 - 6.76</u>
= 15.67	= 1.16

$6.7 - \underline{(-5.5)^2} \times 3.2$	$(2.9)^2 + 8.3 \times 6.6$
$= 6.7 - 30.25 \times 3.2$	$= 8.41 + 8.3 \times 6.6$
= 6.7 - 96.8	= <u>8.41+54.78</u>
= -90.1	= 63.19

$(2.9)^2 - (-0.1) \times (-7.6)$	$(0.7)^2 + 5.4 \times (-9.8)$
$= 8.41 - (-0.1) \times (-7.6)$	$= 0.49 + 5.4 \times (-9.8)$
= <u>8.41 - 0.76</u>	= 0.49 + (-52.92)
= 7.65	=-52.43

 $\begin{array}{ll} 0.6 \times 7.5 + (-0.8)^2 & (-1.3) \times 2.8 - (6.1)^2 \\ = & 0.6 \times 7.5 + 0.64 & = (-1.3) \times 2.8 - 37.21 \\ = & 4.5 + 0.64 & = (-3.64) - 37.21 \\ = & 5.14 & = -40.85 \end{array}$ 

$(2.4)^2 - 8.2 \times (-6.1)$	$(-8.4)^2 \div 6.3 - (-2.4)$
$=5.76-\underline{8.2 \times (-6.1)}$	= <u>70.56 ÷ 6.3</u> - (-2.4)
= <u>5.76 - (-50.02)</u>	= <u>11.2 - (-2.4)</u>
= 55.78	= 13.6