Order of Operations with Decimals (A)

Name:	Date:
Solve each expre	ession using the correct order of operations.
$(7.1)^2 - 6.7 imes 3.1$	$(9.5)^2 \div (5.6 - 4.6)$
$(6.3)^2 + 1.9 imes 5.3$	$(2.8)^2 \div 1.6 + 8.7$
$4.2 imes 6.9 - (2.9)^2$	$(8.1)^2 + 6.7 imes 3.7$
$4.2 \times 0.9 - (2.9)$	$(0.1) + 0.7 \times 5.7$
$(3.6)^2 + 1.7 \times 5.1$	$7.5 imes 4.6 - (2.8)^2$

 $(7.1)^2 - 3.8 \times 1.8$ $3.3 \times 5.7 + (2.9)^2$

Order of Operations with Decimals (A) Answers

Name: _____

Date:

$(7.1)^2 - 6.7 \times 3.1$	$(9.5)^2 \div (\underline{5.6 - 4.6})$
$=50.41 - \underline{6.7 \times 3.1}$	= <u>(9.5)</u> ² ÷ 1
= <u>50.41 - 20.77</u>	= <u>90.25 ÷ 1</u>
= 29.64	= 90.25

$(6.3)^2 + 1.9 \times 5.3$	$(2.8)^2 \div 1.6 + 8.7$
$= 39.69 + 1.9 \times 5.3$	= <u>7.84 ÷ 1.6</u> + 8.7
= <u>39.69 + 10.07</u>	= <u>4.9 + 8.7</u>
= 49.76	= 13.6

$4.2 \times 6.9 - (2.9)^2$	$(8.1)^2 + 6.7 \times 3.7$
= <u>4.2 × 6.9</u> - 8.41	$= 65.61 + 6.7 \times 3.7$
= <u>28.98 - 8.41</u>	= 65.61 + 24.79
= 20.57	= 90.4

$(3.6)^2 + 1.7 \times 5.1$	$7.5 imes 4.6 - (2.8)^2$
$= 12.96 + 1.7 \times 5.1$	$= \underline{7.5 \times 4.6} - 7.84$
= <u>12.96 + 8.67</u>	= <u>34.5 - 7.84</u>
= 21.63	= 26.66

$(7.1)^2 - 3.8 imes 1.8$	$3.3 \times 5.7 + (2.9)^2$
$=50.41 - 3.8 \times 1.8$	$=$ $3.3 \times 5.7 + 8.41$
= <u>50.41 - 6.84</u>	= <u>18.81 + 8.41</u>
= 43.57	= 27.22

Order of Operations with Decimals (B)

Name: _____

Date:

Solve each expression using the correct order of operations.

$$(1.3)^2 + 3.5 \times 8.1$$
 $(8.5)^2 - 7.2 \div 1.6$

$$2.7 \times 4.6 + (5.2)^2$$
 $(8.9)^2 + 1.9 \times 2.5$

$$6.2 imes \left((2.5)^2 - 1.3
ight)$$
 $(7.2)^2 - 1.4 \div 2.5$

$$6.8 imes 3.5 + (4.1)^2$$
 $9.5 imes 5.3 + (1.6)^2$

 $8.2 \times 5.5 + (3.9)^2$ $2.8 \times 3.3 + (3.6)^2$

Order of Operations with Decimals (B) Answers

Name:

Date:

Solve each expression using the correct order of operations.

$(1.3)^2 + 3.5 \times 8.1$	$(8.5)^2 - 7.2 \div 1.6$
$= 1.69 + 3.5 \times 8.1$	$= 72.25 - \underline{7.2 \div 1.6}$
= <u>1.69 + 28.35</u>	= <u>72.25 - 4.5</u>
= 30.04	= 67.75

$2.7 imes 4.6 + (5.2)^2$	$(8.9)^2 + 1.9 \times 2.5$
= <u>2.7 × 4.6</u> + 27.04	$= 79.21 + \underline{1.9 \times 2.5}$
= <u>12.42 + 27.04</u>	= <u>79.21 + 4.75</u>
= 39.46	= 83.96

$6.2 imes \left({\left({2.5} ight)^2 - 1.3} ight)$	$(7.2)^2 - 1.4 \div 2.5$
$= 6.2 \times (6.25 - 1.3)$	$=51.84 - 1.4 \div 2.5$
$= 6.2 \times 4.95$	= <u>51.84 - 0.56</u>
= 30.69	= 51.28

 $6.8 \times 3.5 + (4.1)^{2} \qquad 9.5 \times 5.3 + (1.6)^{2} \\ = 6.8 \times 3.5 + 16.81 \qquad = 9.5 \times 5.3 + 2.56 \\ = 23.8 + 16.81 \qquad = 50.35 + 2.56 \\ = 40.61 \qquad = 52.91$

 $8.2 \times 5.5 + (3.9)^{2}$ = $8.2 \times 5.5 + 15.21$ = 45.1 + 15.21= 60.31 $2.8 \times 3.3 + (3.6)^{2}$ = $2.8 \times 3.3 + 12.96$ = 9.24 + 12.96= 22.2

Order of Operations with Decimals (C)

Name:

Date:

Solve each expression using the correct order of operations.

$$\left(8.6 - (2.5)^2\right) \times 7.4$$
 (1.6)² + 1.7 × 9.5

$$(2.3)^2 + 5.3 \times 8.6 \qquad \qquad 4.5 \times 3.7 + (7.1)^2$$

$$(8.3)^2 + 5.4 \times 4.7$$
 $(2.2 + (2.5)^2) \times 3.4$

$$3.9 \times 6.6 + (2.6)^2$$
 $6.3 \times 4.4 + (2.1)^2$

 $(4.8)^2 + 1.4 \times 6.6$ $(5.4)^2 - 2.9 \times 5.8$

Order of Operations with Decimals (C) Answers

Name:

Date:

Solve each expression using the correct order of operations.

$(8.6 - (2.5)^2) \times 7.4$	$(1.6)^2 + 1.7 \times 9.5$
$=(8.6-6.25)\times7.4$	$= 2.56 + 1.7 \times 9.5$
$= \underline{2.35 \times 7.4}$	= <u>2.56 + 16.15</u>
= 17.39	= 18.71

$(2.3)^2 + 5.3 \times 8.6$	$4.5 imes 3.7 + (7.1)^2$
$= 5.29 + \frac{5.3 \times 8.6}{2}$	= <u>4.5 × 3.7</u> + 50.41
= <u>5.29 + 45.58</u>	= <u>16.65 + 50.41</u>
= 50.87	= 67.06

$(8.3)^2 + 5.4 \times 4.7$	$\left(2.2 + (2.5)^2\right) \times 3.4$
$= 68.89 + 5.4 \times 4.7$	$=(2.2+6.25)\times 3.4$
= 68.89 + 25.38	$= \underline{8.45 \times 3.4}$
= 94.27	= 28.73

 $3.9 \times 6.6 + (2.6)^{2} \qquad \qquad 6.3 \times 4.4 + (2.1)^{2} \\ = 3.9 \times 6.6 + 6.76 \qquad \qquad = 6.3 \times 4.4 + 4.41 \\ = 25.74 + 6.76 \qquad \qquad = 27.72 + 4.41 \\ = 32.5 \qquad \qquad = 32.13$

Order of Operations with Decimals (D)

Name: _____

Date:

Solve each expression using the correct order of operations.

$$6.4 imes 9.7 + (2.8)^2$$
 $(7.8 + (5.6)^2) \div 4.4$

$$6.8 imes (8.9 - 7.9)^3$$
 $(2.9)^2 + 1.3 \div 2.5$

$$(8.8)^2 - 7.2 \div 4.5$$
 $1.7 \times 2.8 - (1.8)^2$

$$2.4 \times 8.4 + (2.2)^2$$
 (8.8)² - 5.4 × 5.5

 $(1.4)^2 \div 9.8 + 7.7$ $6.4 \times 3.5 + (8.2)^2$

Order of Operations with Decimals (D) Answers

Name:

Date:

$6.4 imes 9.7 + (2.8)^2$	$\left(7.8 + \underline{(5.6)^2}\right) \div 4.4$
$= 6.4 \times 9.7 + 7.84$	$=(\underline{7.8+31.36})\div4.4$
$= \underline{62.08 + 7.84}$	= <u>39.16 ÷ 4.4</u>
= 69.92	= 8.9

$6.8 imes ({8.9 - 7.9})^3$	$(2.9)^2 + 1.3 \div 2.5$
$=6.8 \times \underline{1^3}$	$= 8.41 + \underline{1.3 \div 2.5}$
= <u>6.8 × 1</u>	= <u>8.41 + 0.52</u>
= 6.8	= 8.93

$(8.8)^2 - 7.2 \div 4.5$	$1.7\times2.8-\underline{\left(1.8\right)^2}$
$= 77.44 - \underline{7.2 \div 4.5}$	$= \underline{1.7 \times 2.8} - 3.24$
= <u>77.44 - 1.6</u>	= <u>4.76 - 3.24</u>
= 75.84	= 1.52

$2.4 \times 8.4 + (2.2)^2$	$(8.8)^2 - 5.4 \times 5.5$
= <u>2.4 × 8.4</u> + 4.84	$= 77.44 - \underline{5.4 \times 5.5}$
= <u>20.16 + 4.84</u>	= <u>77.44 - 29.7</u>
= 25	= 47.74

$(1.4)^2 \div 9.8 + 7.7$	$6.4\times3.5+\underline{(8.2)^2}$
= <u>1.96 ÷ 9.8</u> + 7.7	= <u>6.4 × 3.5</u> + 67.24
= <u>0.2 + 7.7</u>	= <u>22.4 + 67.24</u>
= 7.9	= 89.64

Order of Operations with Decimals (E)

Name: _____

Date:

Solve each expression using the correct order of operations.

$$8.3 + 2.5 \times (2.2)^2$$
 $(5.4)^2 - 7.1 \times 3.1$

$$1.1 + (2.8)^2 \times 4.5$$
 $(5.1 - 4.6) \times (6.8)^2$

 $(2.4)^2 + 3.9 \times 7.6$ $(7.5)^2 - 2.5 \times 1.9$

$$9.2 \times 6.5 + (5.7)^2$$
 $(2.7)^2 + 5.2 \times 6.1$

 $(1.5)^2 \times 3.4 + 2.6$ $6.8 + (2.5)^2 \times 1.8$

Order of Operations with Decimals (E) Answers

Name: _____

Date:

$(5.4)^2 - 7.1 \times 3.1$
$= 29.16 - \underline{7.1 \times 3.1}$
= <u>29.16 - 22.01</u>
= 7.15

$1.1 + (2.8)^2 \times 4.5$	$(\underline{5.1-4.6}) imes (6.8)^2$
$= 1.1 + \overline{7.84 \times 4.5}$	$= 0.5 \times (6.8)^2$
= <u>1.1+35.28</u>	= <u>0.5 × 46.24</u>
= 36.38	= 23.12

$(2.4)^2 + 3.9 \times 7.6$	$(7.5)^2 - 2.5 \times 1.9$
$= 5.76 + 3.9 \times 7.6$	$= 56.25 - \underline{2.5 \times 1.9}$
= <u>5.76 + 29.64</u>	= <u>56.25 - 4.75</u>
= 35.4	= 51.5

$9.2 imes 6.5 + (5.7)^2$	$(2.7)^2 + 5.2 \times 6.1$
= <u>9.2 × 6.5</u> + 32.49	$= 7.29 + \underline{5.2 \times 6.1}$
= <u>59.8 + 32.49</u>	= <u>7.29+31.72</u>
= 92.29	= 39.01

$\underline{(1.5)^2} imes 3.4 + 2.6$	$6.8 + (2.5)^2 \times 1.8$
= <u>2.25 × 3.4</u> + 2.6	$= 6.8 + \underline{6.25 \times 1.8}$
= <u>7.65 + 2.6</u>	= 6.8 + 11.25
= 10.25	= 18.05

Order of Operations with Decimals (F)

Name: _____

Date:

Solve each expression using the correct order of operations.

$$9.3 imes 1.3 - (1.6)^2$$
 $2.5 imes 2.7 + (2.4)^2$

$$9.6 imes 4.5 + (3.4)^2$$
 $(9.1 - (1.6)^2) imes 3.5$

$$8.4 \times 8.5 - (2.2)^2$$
 (5.9)² - 2.4 × 4.7

$$8.5 \times (1.6)^2 + 2.4$$
 (6.5)² + 4.6 × 3.7

 $7.2 imes 3.8 - (3.7)^2$ $7.1 imes 1.9 + (3.7)^2$

Order of Operations with Decimals (F) Answers

Name:

Date:

Solve each expression using the correct order of operations.

$9.3 imes 1.3 - (1.6)^2$	$2.5 imes 2.7 + (2.4)^2$
= <u>9.3 × 1.3</u> – 2.56	= <u>2.5 × 2.7</u> + 5.76
= <u>12.09 - 2.56</u>	= <u>6.75 + 5.76</u>
= 9.53	= 12.51

$9.6 \times 4.5 + (3.4)^2$	$(9.1 - (1.6)^2) \times 3.5$
= <u>9.6 × 4.5</u> + 11.56	$=(9.1-2.56) \times 3.5$
= <u>43.2 + 11.56</u>	= <u>6.54 × 3.5</u>
= 54.76	= 22.89

$8.4 \times 8.5 - (2.2)^2$	$(5.9)^2 - 2.4 \times 4.7$
= <u>8.4 × 8.5</u> - 4.84	$= 34.81 - \underline{2.4 \times 4.7}$
= <u>71.4 - 4.84</u>	= 34.81 - 11.28
= 66.56	= 23.53

 $8.5 \times (1.6)^2 + 2.4$ $(6.5)^2 + 4.6 \times 3.7$ $= 8.5 \times 2.56 + 2.4$ $= 42.25 + 4.6 \times 3.7$ = 21.76 + 2.4= 42.25 + 17.02= 24.16= 59.27

$7.2 \times 3.8 - (3.7)^2$	$7.1 imes 1.9 + (3.7)^2$
= <u>7.2 × 3.8</u> – 13.69	= <u>7.1 × 1.9</u> + 13.69
= <u>27.36 - 13.69</u>	= <u>13.49+13.69</u>
= 13.67	= 27.18

Order of Operations with Decimals (G)

Name:	Date:
Solve each expre	ssion using the correct order of operations.
$6.1 \times 9.4 - (2.3)^2$	$(1.9)^2 + 5.4 imes 6.5$
$(5.6)^2 \div 1.6 - 5.9$	$8.6 \times 3.75 + (5.5)^2$
$(5.7)^2 - 4.2 \times 5.5$	$(3.6)^2 + 2.8 imes 4.4$
$(1.5)^2 \times (2.3 + 2.9)$	$\left(5.9+(5.8)^2 ight) imes 1.5$

 $(3.8)^2 - 3.9 \times 2.6$ $3.5 \times 6.8 + (6.6)^2$

Order of Operations with Decimals (G) Answers

Name:

Date:

Solve each expression using the correct order of operations.

$6.1 \times 9.4 - (2.3)^2$	$(1.9)^2 + 5.4 \times 6.5$
= <u>6.1 × 9.4</u> - 5.29	$= 3.61 + \underline{5.4 \times 6.5}$
= <u>57.34 - 5.29</u>	= <u>3.61+35.1</u>
= 52.05	= 38.71

$(5.6)^2 \div 1.6 - 5.9$	$8.6 imes 3.75 + (5.5)^2$
$=$ $31.36 \div 1.6 - 5.9$	$=$ $\frac{8.6 \times 3.75}{1000} + 30.25$
= <u>19.6 - 5.9</u>	= <u>32.25 + 30.25</u>
= 13.7	= 62.5

$(5.7)^2 - 4.2 \times 5.5$	$(3.6)^2 + 2.8 \times 4.4$
$= 32.49 - \underline{4.2 \times 5.5}$	$= 12.96 + \underline{2.8 \times 4.4}$
= <u>32.49 - 23.1</u>	= <u>12.96 + 12.32</u>
= 9.39	= 25.28

 $(1.5)^{2} \times (\underline{2.3 + 2.9}) \qquad \qquad \left(5.9 + \underline{(5.8)^{2}}\right) \times 1.5$ = $\underline{(1.5)^{2}} \times 5.2 \qquad = (\underline{5.9 + 33.64}) \times 1.5$ = $\underline{2.25 \times 5.2} \qquad = \underline{39.54 \times 1.5} \qquad = \underline{59.31}$

 $\frac{(3.8)^2}{=14.44 - 3.9 \times 2.6}$ = 14.44 - 3.9 × 2.6 = 14.44 - 10.14 = 4.3

$$= \frac{39.54 \times 1.5}{59.31}$$
$$= 59.31$$
$$3.5 \times 6.8 + (6.6)^{2}$$

$$= \frac{3.5 \times 6.8}{23.8 + 43.56} + 43.56$$
$$= \frac{23.8 + 43.56}{67.36}$$

Order of Operations with Decimals (H)

Name: _____

Date:

Solve each expression using the correct order of operations.

$$(1.5)^2 + 7.8 \times 2.6$$
 $4.6 \times (4.5)^2 - 2.4$

$$2.5 \times 1.6 + (7.5)^2$$
 (6.9)² ÷ (9.3 - 7.8)

$$(8.6)^2 - 2.5 \times 6.5$$
 $1.4 \times (7.1 - 1.6)^2$

$$(1.4 - 1.4)^2 \times 5.2$$
 $(7.9)^2 - 2.3 \times 4.6$

 $(5.9)^2 + 1.6 \times 5.5$ $(3.4)^2 + 1.5 \times 5.3$

Order of Operations with Decimals (H) Answers

Name:

Date:

$(1.5)^2 + 7.8 \times 2.6$	$4.6 imes (4.5)^2 - 2.4$
$= 2.25 + \overline{7.8 \times 2.6}$	= <u>4.6 × 20.25</u> - 2.4
= <u>2.25 + 20.28</u>	= <u>93.15 - 2.4</u>
= 22.53	= 90.75

$2.5 imes 1.6 + (7.5)^2$	$(6.9)^2 \div (\underline{9.3 - 7.8})$
= <u>2.5 × 1.6</u> + 56.25	= <u>(6.9)²</u> ÷ 1.5
= <u>4+56.25</u>	= <u>47.61 ÷ 1.5</u>
= 60.25	= 31.74

$(8.6)^2 - 2.5 \times 6.5$	$1.4\times\left(\underline{7.1-1.6}\right)^2$
$= 73.96 - 2.5 \times 6.5$	$= 1.4 \times (5.5)^2$
= <u>73.96 - 16.25</u>	= <u>1.4 × 30.25</u>
= 57.71	= 42.35

$(\underline{1.4} - \underline{1.4})^2 \times 5.2$	$(7.9)^2 - 2.3 \times 4.6$
= <u>0</u> ² × 5.2	$= 62.41 - \underline{2.3 \times 4.6}$
= <u>0 × 5.2</u>	$= \underline{62.41 - 10.58}$
= 0	= 51.83

$(5.9)^2 + 1.6 \times 5.5$	$(3.4)^2 + 1.5 \times 5.3$
$= 34.81 + \underline{1.6 \times 5.5}$	$= 11.56 + 1.5 \times 5.3$
= <u>34.81 + 8.8</u>	= <u>11.56 + 7.95</u>
= 43.61	= 19.51

Order of Operations with Decimals (I)

Name:	Date:	
Solve each expres	ssion using the correct order of operations.	
$1.5 imes 9.8 + (6.1)^2$	$9.3 imes 2.8 + (5.6)^2$	
$9.4 \div 1.25 + (5.2)^2$	$8.4 imes 2.1 + (7.6)^2$	
$(1 \ \Gamma)^2 + 2 \ 2 + 1 \ C$	$(1,1)^2 + 4,0 + 2,0$	
$(1.5)^2 + 2.2 imes 1.6$	$(1.1)^2 + 4.8 imes 2.8$	
$7.3 imes 2.3 - (2.8)^2$	$9.1 imes 8.1 - (1.7)^2$	
$7.3 imes 2.3 - (2.8)^2$	$9.1 imes 8.1-(1.7)^2$	

 $7.7 imes 1.4 - (1.3)^2$ $2.6 + (6.5)^2 \div 1.25$

Order of Operations with Decimals (I) Answers

Name: _____

Date:

$1.5 imes 9.8 + (6.1)^2$	$9.3 imes 2.8 + {(5.6)^2}$
= <u>1.5 × 9.8</u> + 37.21	= <u>9.3 × 2.8</u> + 31.36
= <u>14.7 + 37.21</u>	= <u>26.04 + 31.36</u>
= 51.91	= 57.4

$9.4 \div 1.25 + (5.2)^2$	$8.4 imes 2.1 + (7.6)^2$
$=$ $\frac{9.4 \div 1.25}{1.25} + 27.04$	= <u>8.4 × 2.1</u> + 57.76
= <u>7.52+27.04</u>	= <u>17.64 + 57.76</u>
= 34.56	= 75.4

$(1.5)^2 + 2.2 \times 1.6$	$(1.1)^2 + 4.8 \times 2.8$
$= 2.25 + 2.2 \times 1.6$	$= 1.21 + \underline{4.8 \times 2.8}$
= <u>2.25 + 3.52</u>	= <u>1.21+13.44</u>
= 5.77	= 14.65

$7.3 imes 2.3 - (2.8)^2$	$9.1\times8.1-\underline{\left(1.7\right)^2}$
= <u>7.3 × 2.3</u> – 7.84	= <u>9.1 × 8.1</u> – 2.89
= <u>16.79 - 7.84</u>	= <u>73.71 - 2.89</u>
= 8.95	= 70.82

$7.7 imes 1.4 - {(1.3)^2}$	$2.6 + (6.5)^2 \div 1.25$
= <u>7.7 × 1.4</u> – 1.69	$= 2.6 + \underline{42.25 \div 1.25}$
= <u>10.78 - 1.69</u>	= <u>2.6+33.8</u>
= 9.09	= 36.4

Order of Operations with Decimals (J)

Name:	Date:
Solve each expres	ssion using the correct order of operations.
$6.3 imes 4.4 + (3.6)^2$	$(8.3)^2 + 6.6 imes 3.9$
$(1.4)^2 + 2.1 imes 4.9$	$(1.1)^2 + 9.9 imes 7.8$
2	2
$(8.1)^2 - 8.8 imes 1.9$	$4.7\times(5.6-1.6)^2$
$5.6 imes (2.5)^2 - 2.1$	$\left(4.5 ight)^2 - 6.7 imes 2.4$
$2.5 imes (4.6)^2 + 5.7$	$2.2 imes 8.4 + (5.8)^2$

Order of Operations with Decimals (J) Answers

Name: _____

Date:

$6.3 \times 4.4 + (3.6)^2$	$(8.3)^2 + 6.6 \times 3.9$
= <u>6.3 × 4.4</u> + 12.96	$= 68.89 + 6.6 \times 3.9$
= <u>27.72 + 12.96</u>	= 68.89 + 25.74
= 40.68	= 94.63

$(1.4)^2 + 2.1 \times 4.9$	$\underline{(1.1)^2} + 9.9 \times 7.8$
$= 1.96 + 2.1 \times 4.9$	$= 1.21 + 9.9 \times 7.8$
= <u>1.96 + 10.29</u>	= <u>1.21 + 77.22</u>
= 12.25	= 78.43

$(8.1)^2 - 8.8 imes 1.9$	$4.7 imes ({\overline{5.6} - 1.6})^2$
$= 65.61 - \frac{8.8 \times 1.9}{2}$	$=4.7 imes \underline{4^2}$
= 65.61 - 16.72	= <u>4.7 × 16</u>
= 48.89	= 75.2

$5.6 imes (2.5)^2 - 2.1$	$(4.5)^2 - 6.7 \times 2.4$
$=$ $5.6 \times 6.25 - 2.1$	$= 20.25 - 6.7 \times 2.4$
= <u>35 - 2.1</u>	= <u>20.25 - 16.08</u>
= 32.9	= 4.17

$2.5 imes (4.6)^2 + 5.7$	$2.2 imes 8.4 + (5.8)^2$
= <u>2.5 × 21.16</u> + 5.7	= <u>2.2 × 8.4</u> + 33.64
= <u>52.9+5.7</u>	= <u>18.48 + 33.64</u>
= 58.6	= 52.12