

# Ordering Fractions (A)

Name: \_\_\_\_\_

Date: \_\_\_\_\_

Order each set of fractions as indicated.

1)  $\frac{2}{5}, \frac{1}{8}, \frac{3}{2}, 2\frac{1}{20}, 2\frac{65}{100}$   
greatest → least

2)  $\frac{9}{9}, 2, \frac{9}{20}, 1\frac{7}{10}, 1\frac{16}{25}$   
least → greatest

3)  $\frac{2}{10}, \frac{5}{3}, \frac{11}{5}, \frac{5}{20}, 1\frac{44}{100}$   
least → greatest

4)  $\frac{28}{10}, \frac{13}{5}, \frac{2}{8}, \frac{64}{50}, \frac{10}{12}$   
least → greatest

5)  $\frac{8}{5}, \frac{24}{9}, \frac{2}{2}, 1\frac{2}{3}, \frac{28}{10}$   
greatest → least

6)  $2, \frac{3}{5}, \frac{24}{10}, 1, \frac{6}{100}$   
greatest → least

7)  $\frac{68}{100}, \frac{12}{12}, 1\frac{1}{2}, \frac{5}{3}, \frac{3}{10}$   
least → greatest

8)  $2\frac{3}{4}, \frac{4}{2}, \frac{7}{25}, 2\frac{7}{10}, \frac{193}{100}$   
least → greatest

9)  $\frac{20}{8}, \frac{10}{6}, \frac{24}{10}, \frac{3}{5}, \frac{26}{50}$   
greatest → least

10)  $\frac{6}{6}, \frac{8}{4}, 1\frac{9}{10}, \frac{35}{12}, \frac{2}{2}$   
least → greatest

# Ordering Fractions (A) Answers

Name: \_\_\_\_\_

Date: \_\_\_\_\_

Order each set of fractions as indicated.

1)  $\frac{2}{5}, \frac{1}{8}, \frac{3}{2}, 2\frac{1}{20}, 2\frac{65}{100}$   
 greatest → least  
 $2\frac{65}{100}, 2\frac{1}{20}, \frac{3}{2}, \frac{2}{5}, \frac{1}{8}$

2)  $\frac{9}{9}, 2, \frac{9}{20}, 1\frac{7}{10}, 1\frac{16}{25}$   
 least → greatest  
 $\frac{9}{20}, \frac{9}{9}, 1\frac{16}{25}, 1\frac{7}{10}, 2$

3)  $\frac{2}{10}, \frac{5}{3}, \frac{11}{5}, \frac{5}{20}, 1\frac{44}{100}$   
 least → greatest  
 $\frac{2}{10}, \frac{5}{20}, 1\frac{44}{100}, \frac{5}{3}, \frac{11}{5}$

4)  $\frac{28}{10}, \frac{13}{5}, \frac{2}{8}, \frac{64}{50}, \frac{10}{12}$   
 least → greatest  
 $\frac{2}{8}, \frac{10}{12}, \frac{64}{50}, \frac{13}{5}, \frac{28}{10}$

5)  $\frac{8}{5}, \frac{24}{9}, \frac{2}{2}, 1\frac{2}{3}, \frac{28}{10}$   
 greatest → least  
 $\frac{28}{10}, \frac{24}{9}, 1\frac{2}{3}, \frac{8}{5}, \frac{2}{2}$

6)  $2, \frac{3}{5}, \frac{24}{10}, 1, \frac{6}{100}$   
 greatest → least  
 $\frac{24}{10}, 2, 1, \frac{3}{5}, \frac{6}{100}$

7)  $\frac{68}{100}, \frac{12}{12}, 1\frac{1}{2}, \frac{5}{3}, \frac{3}{10}$   
 least → greatest  
 $\frac{3}{10}, \frac{68}{100}, \frac{12}{12}, 1\frac{1}{2}, \frac{5}{3}$

8)  $2\frac{3}{4}, \frac{4}{2}, \frac{7}{25}, 2\frac{7}{10}, \frac{193}{100}$   
 least → greatest  
 $\frac{7}{25}, \frac{193}{100}, \frac{4}{2}, 2\frac{7}{10}, 2\frac{3}{4}$

9)  $\frac{20}{8}, \frac{10}{6}, \frac{24}{10}, \frac{3}{5}, \frac{26}{50}$   
 greatest → least  
 $\frac{20}{8}, \frac{24}{10}, \frac{10}{6}, \frac{3}{5}, \frac{26}{50}$

10)  $\frac{6}{6}, \frac{8}{4}, 1\frac{9}{10}, \frac{35}{12}, \frac{2}{2}$   
 least → greatest  
 $\frac{6}{6}, \frac{2}{2}, 1\frac{9}{10}, \frac{8}{4}, \frac{35}{12}$

# Ordering Fractions (B)

Name: \_\_\_\_\_

Date: \_\_\_\_\_

Order each set of fractions as indicated.

1)  $2\frac{11}{20}, \frac{4}{8}, 2\frac{4}{50}, 2\frac{3}{9}, 2\frac{9}{12}$   
greatest → least

2)  $\frac{134}{50}, \frac{63}{100}, \frac{15}{8}, \frac{33}{12}, \frac{18}{9}$   
least → greatest

3)  $\frac{2}{2}, \frac{7}{9}, 2\frac{95}{100}, 1, 1\frac{1}{12}$   
least → greatest

4)  $\frac{3}{2}, 1\frac{2}{4}, \frac{1}{6}, \frac{8}{3}, \frac{12}{10}$   
greatest → least

5)  $2\frac{7}{8}, \frac{4}{2}, 1\frac{2}{4}, \frac{207}{100}, 1\frac{23}{25}$   
greatest → least

6)  $1\frac{1}{3}, \frac{14}{20}, \frac{10}{6}, 2\frac{4}{5}, \frac{4}{2}$   
greatest → least

7)  $\frac{45}{25}, 1\frac{1}{4}, \frac{38}{50}, \frac{23}{12}, \frac{52}{20}$   
greatest → least

8)  $\frac{3}{2}, \frac{19}{12}, \frac{4}{25}, \frac{16}{20}, \frac{140}{50}$   
greatest → least

9)  $\frac{28}{12}, \frac{9}{4}, \frac{4}{5}, 1\frac{6}{10}, \frac{7}{6}$   
greatest → least

10)  $\frac{7}{10}, \frac{94}{100}, 2\frac{10}{20}, 1\frac{7}{12}, 1$   
least → greatest

# Ordering Fractions (B) Answers

Name: \_\_\_\_\_

Date: \_\_\_\_\_

Order each set of fractions as indicated.

1)  $2\frac{11}{20}, \frac{4}{8}, 2\frac{4}{50}, 2\frac{3}{9}, 2\frac{9}{12}$   
 greatest → least

$2\frac{9}{12}, 2\frac{11}{20}, 2\frac{3}{9}, 2\frac{4}{50}, \frac{4}{8}$

2)  $\frac{134}{50}, \frac{63}{100}, \frac{15}{8}, \frac{33}{12}, \frac{18}{9}$   
 least → greatest

$\frac{63}{100}, \frac{15}{8}, \frac{18}{9}, \frac{134}{50}, \frac{33}{12}$

3)  $\frac{2}{2}, \frac{7}{9}, 2\frac{95}{100}, 1, 1\frac{1}{12}$   
 least → greatest

$\frac{7}{9}, \frac{2}{2}, 1, 1\frac{1}{12}, 2\frac{95}{100}$

4)  $\frac{3}{2}, 1\frac{2}{4}, \frac{1}{6}, \frac{8}{3}, \frac{12}{10}$   
 greatest → least

$\frac{8}{3}, \frac{3}{2}, 1\frac{2}{4}, \frac{12}{10}, \frac{1}{6}$

5)  $2\frac{7}{8}, \frac{4}{2}, 1\frac{2}{4}, \frac{207}{100}, 1\frac{23}{25}$   
 greatest → least

$2\frac{7}{8}, \frac{207}{100}, \frac{4}{2}, 1\frac{23}{25}, 1\frac{2}{4}$

6)  $1\frac{1}{3}, \frac{14}{20}, \frac{10}{6}, 2\frac{4}{5}, \frac{4}{2}$   
 greatest → least

$2\frac{4}{5}, \frac{4}{2}, \frac{10}{6}, 1\frac{1}{3}, \frac{14}{20}$

7)  $\frac{45}{25}, 1\frac{1}{4}, \frac{38}{50}, \frac{23}{12}, \frac{52}{20}$   
 greatest → least

$\frac{52}{20}, \frac{23}{12}, \frac{45}{25}, 1\frac{1}{4}, \frac{38}{50}$

8)  $\frac{3}{2}, \frac{19}{12}, \frac{4}{25}, \frac{16}{20}, \frac{140}{50}$   
 greatest → least

$\frac{140}{50}, \frac{19}{12}, \frac{3}{2}, \frac{16}{20}, \frac{4}{25}$

9)  $\frac{28}{12}, \frac{9}{4}, \frac{4}{5}, 1\frac{6}{10}, \frac{7}{6}$   
 greatest → least

$\frac{28}{12}, \frac{9}{4}, 1\frac{6}{10}, \frac{7}{6}, \frac{4}{5}$

10)  $\frac{7}{10}, \frac{94}{100}, 2\frac{10}{20}, 1\frac{7}{12}, 1$   
 least → greatest

$\frac{7}{10}, \frac{94}{100}, 1, 1\frac{7}{12}, 2\frac{10}{20}$

# Ordering Fractions (C)

Name: \_\_\_\_\_

Date: \_\_\_\_\_

Order each set of fractions as indicated.

1)  $\frac{92}{50}, \frac{1}{3}, \frac{22}{12}, 1\frac{7}{9}, 2\frac{6}{10}$   
least → greatest

2)  $\frac{5}{20}, \frac{19}{8}, \frac{17}{10}, \frac{1}{12}, \frac{5}{6}$   
greatest → least

3)  $2\frac{1}{10}, \frac{5}{2}, \frac{12}{50}, \frac{26}{100}, \frac{1}{4}$   
greatest → least

4)  $\frac{10}{12}, 2\frac{4}{5}, 2\frac{2}{6}, 2\frac{48}{100}, \frac{10}{25}$   
greatest → least

5)  $\frac{2}{2}, \frac{6}{4}, \frac{2}{8}, \frac{3}{9}, \frac{4}{3}$   
greatest → least

6)  $\frac{35}{100}, \frac{1}{2}, \frac{7}{5}, \frac{18}{8}, \frac{5}{9}$   
least → greatest

7)  $\frac{20}{10}, 1\frac{43}{100}, 2\frac{1}{6}, 2\frac{6}{12}, \frac{72}{50}$   
greatest → least

8)  $\frac{1}{2}, \frac{17}{9}, \frac{8}{3}, 2\frac{55}{100}, \frac{5}{25}$   
greatest → least

9)  $2\frac{4}{6}, 1\frac{11}{12}, \frac{3}{10}, \frac{65}{25}, \frac{8}{9}$   
greatest → least

10)  $\frac{1}{3}, \frac{4}{5}, 1\frac{2}{6}, \frac{21}{9}, \frac{17}{10}$   
least → greatest

# Ordering Fractions (C) Answers

Name: \_\_\_\_\_

Date: \_\_\_\_\_

Order each set of fractions as indicated.

1)  $\frac{92}{50}, \frac{1}{3}, \frac{22}{12}, 1\frac{7}{9}, 2\frac{6}{10}$   
 least → greatest  
 $\frac{1}{3}, 1\frac{7}{9}, \frac{22}{12}, \frac{92}{50}, 2\frac{6}{10}$

2)  $\frac{5}{20}, \frac{19}{8}, \frac{17}{10}, \frac{1}{12}, \frac{5}{6}$   
 greatest → least  
 $\frac{19}{8}, \frac{17}{10}, \frac{5}{6}, \frac{5}{20}, \frac{1}{12}$

3)  $2\frac{1}{10}, \frac{5}{2}, \frac{12}{50}, \frac{26}{100}, \frac{1}{4}$   
 greatest → least  
 $\frac{5}{2}, 2\frac{1}{10}, \frac{26}{100}, \frac{1}{4}, \frac{12}{50}$

4)  $\frac{10}{12}, 2\frac{4}{5}, 2\frac{2}{6}, 2\frac{48}{100}, \frac{10}{25}$   
 greatest → least  
 $2\frac{4}{5}, 2\frac{48}{100}, 2\frac{2}{6}, \frac{10}{12}, \frac{10}{25}$

5)  $\frac{2}{2}, \frac{6}{4}, \frac{2}{8}, \frac{3}{9}, \frac{4}{3}$   
 greatest → least  
 $\frac{6}{4}, \frac{4}{3}, \frac{2}{2}, \frac{3}{9}, \frac{2}{8}$

6)  $\frac{35}{100}, \frac{1}{2}, \frac{7}{5}, \frac{18}{8}, \frac{5}{9}$   
 least → greatest  
 $\frac{35}{100}, \frac{1}{2}, \frac{5}{9}, \frac{7}{5}, \frac{18}{8}$

7)  $\frac{20}{10}, 1\frac{43}{100}, 2\frac{1}{6}, 2\frac{6}{12}, \frac{72}{50}$   
 greatest → least  
 $2\frac{6}{12}, 2\frac{1}{6}, \frac{20}{10}, \frac{72}{50}, 1\frac{43}{100}$

8)  $\frac{1}{2}, \frac{17}{9}, \frac{8}{3}, 2\frac{55}{100}, \frac{5}{25}$   
 greatest → least  
 $\frac{8}{3}, 2\frac{55}{100}, \frac{17}{9}, \frac{1}{2}, \frac{5}{25}$

9)  $2\frac{4}{6}, 1\frac{11}{12}, \frac{3}{10}, \frac{65}{25}, \frac{8}{9}$   
 greatest → least  
 $2\frac{4}{6}, \frac{65}{25}, 1\frac{11}{12}, \frac{8}{9}, \frac{3}{10}$

10)  $\frac{1}{3}, \frac{4}{5}, 1\frac{2}{6}, \frac{21}{9}, \frac{17}{10}$   
 least → greatest  
 $\frac{1}{3}, \frac{4}{5}, 1\frac{2}{6}, \frac{17}{10}, \frac{21}{9}$

# Ordering Fractions (D)

Name: \_\_\_\_\_

Date: \_\_\_\_\_

Order each set of fractions as indicated.

1)  $\frac{16}{9}, \frac{95}{50}, \frac{18}{10}, 2\frac{77}{100}, \frac{8}{4}$   
greatest → least

2)  $1\frac{2}{3}, \frac{138}{50}, 2\frac{3}{4}, \frac{1}{10}, \frac{7}{6}$   
least → greatest

3)  $\frac{7}{50}, 2, \frac{20}{8}, \frac{217}{100}, 2\frac{1}{3}$   
least → greatest

4)  $\frac{69}{50}, 2\frac{5}{20}, \frac{18}{9}, \frac{12}{8}, 2\frac{5}{10}$   
greatest → least

5)  $\frac{1}{3}, \frac{291}{100}, \frac{10}{8}, \frac{2}{12}, 1\frac{6}{10}$   
least → greatest

6)  $\frac{13}{8}, \frac{33}{25}, \frac{134}{100}, \frac{10}{12}, \frac{2}{2}$   
least → greatest

7)  $\frac{7}{6}, \frac{9}{4}, \frac{24}{9}, \frac{1}{3}, \frac{23}{25}$   
greatest → least

8)  $\frac{12}{9}, \frac{45}{20}, 1\frac{60}{100}, \frac{8}{4}, \frac{12}{5}$   
least → greatest

9)  $\frac{193}{100}, 2, \frac{2}{3}, \frac{8}{20}, 1$   
greatest → least

10)  $\frac{92}{50}, 2\frac{6}{8}, \frac{7}{9}, \frac{3}{4}, \frac{92}{100}$   
greatest → least

# Ordering Fractions (D) Answers

Name: \_\_\_\_\_

Date: \_\_\_\_\_

Order each set of fractions as indicated.

1)  $\frac{16}{9}, \frac{95}{50}, \frac{18}{10}, 2\frac{77}{100}, \frac{8}{4}$   
 greatest → least  
 $2\frac{77}{100}, \frac{8}{4}, \frac{95}{50}, \frac{18}{10}, \frac{16}{9}$

2)  $1\frac{2}{3}, \frac{138}{50}, 2\frac{3}{4}, \frac{1}{10}, \frac{7}{6}$   
 least → greatest  
 $\frac{1}{10}, \frac{7}{6}, 1\frac{2}{3}, 2\frac{3}{4}, \frac{138}{50}$

3)  $\frac{7}{50}, 2, \frac{20}{8}, \frac{217}{100}, 2\frac{1}{3}$   
 least → greatest  
 $\frac{7}{50}, 2, \frac{217}{100}, 2\frac{1}{3}, \frac{20}{8}$

4)  $\frac{69}{50}, 2\frac{5}{20}, \frac{18}{9}, \frac{12}{8}, 2\frac{5}{10}$   
 greatest → least  
 $2\frac{5}{10}, 2\frac{5}{20}, \frac{18}{9}, \frac{12}{8}, \frac{69}{50}$

5)  $\frac{1}{3}, \frac{291}{100}, \frac{10}{8}, \frac{2}{12}, 1\frac{6}{10}$   
 least → greatest  
 $\frac{2}{12}, \frac{1}{3}, \frac{10}{8}, 1\frac{6}{10}, \frac{291}{100}$

6)  $\frac{13}{8}, \frac{33}{25}, \frac{134}{100}, \frac{10}{12}, \frac{2}{2}$   
 least → greatest  
 $\frac{10}{12}, \frac{2}{2}, \frac{33}{25}, \frac{134}{100}, \frac{13}{8}$

7)  $\frac{7}{6}, \frac{9}{4}, \frac{24}{9}, \frac{1}{3}, \frac{23}{25}$   
 greatest → least  
 $\frac{24}{9}, \frac{9}{4}, \frac{7}{6}, \frac{23}{25}, \frac{1}{3}$

8)  $\frac{12}{9}, \frac{45}{20}, 1\frac{60}{100}, \frac{8}{4}, \frac{12}{5}$   
 least → greatest  
 $\frac{12}{9}, 1\frac{60}{100}, \frac{8}{4}, \frac{45}{20}, \frac{12}{5}$

9)  $\frac{193}{100}, 2, \frac{2}{3}, \frac{8}{20}, 1$   
 greatest → least  
 $2, \frac{193}{100}, 1, \frac{2}{3}, \frac{8}{20}$

10)  $\frac{92}{50}, 2\frac{6}{8}, \frac{7}{9}, \frac{3}{4}, \frac{92}{100}$   
 greatest → least  
 $2\frac{6}{8}, \frac{92}{50}, \frac{92}{100}, \frac{7}{9}, \frac{3}{4}$

# Ordering Fractions (E)

Name: \_\_\_\_\_

Date: \_\_\_\_\_

Order each set of fractions as indicated.

1)  $\frac{74}{100}, \frac{1}{20}, 1\frac{10}{12}, \frac{1}{6}, \frac{1}{2}$   
least → greatest

2)  $\frac{3}{6}, \frac{112}{100}, \frac{20}{20}, \frac{1}{3}, \frac{7}{4}$   
least → greatest

3)  $\frac{4}{12}, \frac{27}{25}, \frac{22}{9}, \frac{102}{50}, \frac{1}{2}$   
least → greatest

4)  $\frac{24}{50}, 2, 2\frac{7}{12}, \frac{3}{5}, 2$   
least → greatest

5)  $\frac{72}{100}, 1, \frac{23}{8}, \frac{15}{10}, \frac{1}{4}$   
greatest → least

6)  $\frac{44}{50}, \frac{93}{100}, \frac{1}{6}, \frac{9}{5}, 1\frac{5}{10}$   
least → greatest

7)  $1\frac{41}{50}, 1, \frac{182}{100}, \frac{8}{9}, 1\frac{2}{4}$   
greatest → least

8)  $\frac{12}{12}, 2\frac{1}{3}, 2\frac{81}{100}, 1\frac{2}{9}, \frac{9}{8}$   
greatest → least

9)  $2\frac{2}{8}, \frac{30}{12}, 1\frac{5}{9}, 2\frac{1}{100}, 2\frac{11}{25}$   
least → greatest

10)  $\frac{3}{10}, 2\frac{2}{12}, 2\frac{1}{6}, \frac{16}{9}, \frac{29}{20}$   
greatest → least

# Ordering Fractions (E) Answers

Name: \_\_\_\_\_

Date: \_\_\_\_\_

Order each set of fractions as indicated.

1)  $\frac{74}{100}, \frac{1}{20}, 1\frac{10}{12}, \frac{1}{6}, \frac{1}{2}$   
 least → greatest  
 $\frac{1}{20}, \frac{1}{6}, \frac{1}{2}, \frac{74}{100}, 1\frac{10}{12}$

2)  $\frac{3}{6}, \frac{112}{100}, \frac{20}{20}, \frac{1}{3}, \frac{7}{4}$   
 least → greatest  
 $\frac{1}{3}, \frac{3}{6}, \frac{20}{20}, \frac{112}{100}, \frac{7}{4}$

3)  $\frac{4}{12}, \frac{27}{25}, \frac{22}{9}, \frac{102}{50}, \frac{1}{2}$   
 least → greatest  
 $\frac{4}{12}, \frac{1}{2}, \frac{27}{25}, \frac{102}{50}, \frac{22}{9}$

4)  $\frac{24}{50}, 2, 2\frac{7}{12}, \frac{3}{5}, 2$   
 least → greatest  
 $\frac{24}{50}, \frac{3}{5}, 2, 2, 2\frac{7}{12}$

5)  $\frac{72}{100}, 1, \frac{23}{8}, \frac{15}{10}, \frac{1}{4}$   
 greatest → least  
 $\frac{23}{8}, \frac{15}{10}, 1, \frac{72}{100}, \frac{1}{4}$

6)  $\frac{44}{50}, \frac{93}{100}, \frac{1}{6}, \frac{9}{5}, 1\frac{5}{10}$   
 least → greatest  
 $\frac{1}{6}, \frac{44}{50}, \frac{93}{100}, 1\frac{5}{10}, \frac{9}{5}$

7)  $1\frac{41}{50}, 1, \frac{182}{100}, \frac{8}{9}, 1\frac{2}{4}$   
 greatest → least  
 $1\frac{41}{50}, \frac{182}{100}, 1\frac{2}{4}, 1, \frac{8}{9}$

8)  $\frac{12}{12}, 2\frac{1}{3}, 2\frac{81}{100}, 1\frac{2}{9}, \frac{9}{8}$   
 greatest → least  
 $2\frac{81}{100}, 2\frac{1}{3}, 1\frac{2}{9}, \frac{9}{8}, \frac{12}{12}$

9)  $2\frac{2}{8}, \frac{30}{12}, 1\frac{5}{9}, 2\frac{1}{100}, 2\frac{11}{25}$   
 least → greatest  
 $1\frac{5}{9}, 2\frac{1}{100}, 2\frac{2}{8}, 2\frac{11}{25}, \frac{30}{12}$

10)  $\frac{3}{10}, 2\frac{2}{12}, 2\frac{1}{6}, \frac{16}{9}, \frac{29}{20}$   
 greatest → least  
 $2\frac{2}{12}, 2\frac{1}{6}, \frac{16}{9}, \frac{29}{20}, \frac{3}{10}$

# Ordering Fractions (F)

Name: \_\_\_\_\_

Date: \_\_\_\_\_

Order each set of fractions as indicated.

1)  $\frac{11}{50}, \quad 2\frac{2}{3}, \quad 1\frac{1}{6}, \quad 2\frac{3}{5}, \quad \frac{16}{20}$   
least → greatest

2)  $\frac{5}{2}, \quad \frac{7}{9}, \quad \frac{19}{25}, \quad \frac{27}{12}, \quad \frac{7}{4}$   
least → greatest

3)  $\frac{10}{50}, \quad \frac{5}{25}, \quad 1\frac{6}{8}, \quad \frac{56}{100}, \quad 1$   
greatest → least

4)  $\frac{1}{2}, \quad \frac{1}{10}, \quad \frac{5}{25}, \quad 2\frac{94}{100}, \quad \frac{1}{8}$   
greatest → least

5)  $\frac{15}{6}, \quad \frac{5}{2}, \quad 1\frac{18}{20}, \quad \frac{3}{8}, \quad \frac{15}{12}$   
least → greatest

6)  $\frac{20}{10}, \quad \frac{92}{100}, \quad 1, \quad \frac{30}{12}, \quad 1$   
greatest → least

7)  $\frac{18}{50}, \quad 2, \quad \frac{2}{6}, \quad 1, \quad 1\frac{1}{10}$   
greatest → least

8)  $\frac{7}{100}, \quad \frac{22}{9}, \quad \frac{9}{6}, \quad 2\frac{1}{3}, \quad 2\frac{2}{8}$   
greatest → least

9)  $\frac{16}{10}, \quad 1\frac{2}{3}, \quad 1\frac{3}{4}, \quad 1, \quad 1$   
greatest → least

10)  $\frac{11}{25}, \quad \frac{83}{50}, \quad \frac{3}{4}, \quad \frac{8}{9}, \quad 1\frac{1}{2}$   
least → greatest

# Ordering Fractions (F) Answers

Name: \_\_\_\_\_

Date: \_\_\_\_\_

Order each set of fractions as indicated.

1)  $\frac{11}{50}, 2\frac{2}{3}, 1\frac{1}{6}, 2\frac{3}{5}, \frac{16}{20}$   
 least → greatest  
 $\frac{11}{50}, \frac{16}{20}, 1\frac{1}{6}, 2\frac{3}{5}, 2\frac{2}{3}$

2)  $\frac{5}{2}, \frac{7}{9}, \frac{19}{25}, \frac{27}{12}, \frac{7}{4}$   
 least → greatest  
 $\frac{19}{25}, \frac{7}{9}, \frac{7}{4}, \frac{27}{12}, \frac{5}{2}$

3)  $\frac{10}{50}, \frac{5}{25}, 1\frac{6}{8}, \frac{56}{100}, 1$   
 greatest → least  
 $1\frac{6}{8}, 1, \frac{56}{100}, \frac{10}{50}, \frac{5}{25}$

4)  $\frac{1}{2}, \frac{1}{10}, \frac{5}{25}, 2\frac{94}{100}, \frac{1}{8}$   
 greatest → least  
 $2\frac{94}{100}, \frac{1}{2}, \frac{5}{25}, \frac{1}{8}, \frac{1}{10}$

5)  $\frac{15}{6}, \frac{5}{2}, 1\frac{18}{20}, \frac{3}{8}, \frac{15}{12}$   
 least → greatest  
 $\frac{3}{8}, \frac{15}{12}, 1\frac{18}{20}, \frac{15}{6}, \frac{5}{2}$

6)  $\frac{20}{10}, \frac{92}{100}, 1, \frac{30}{12}, 1$   
 greatest → least  
 $\frac{30}{12}, \frac{20}{10}, 1, 1, \frac{92}{100}$

7)  $\frac{18}{50}, 2, \frac{2}{6}, 1, 1\frac{1}{10}$   
 greatest → least  
 $2, 1\frac{1}{10}, 1, \frac{18}{50}, \frac{2}{6}$

8)  $\frac{7}{100}, \frac{22}{9}, \frac{9}{6}, 2\frac{1}{3}, 2\frac{2}{8}$   
 greatest → least  
 $\frac{22}{9}, 2\frac{1}{3}, 2\frac{2}{8}, \frac{9}{6}, \frac{7}{100}$

9)  $\frac{16}{10}, 1\frac{2}{3}, 1\frac{3}{4}, 1, 1$   
 greatest → least  
 $1\frac{3}{4}, 1\frac{2}{3}, \frac{16}{10}, 1, 1$

10)  $\frac{11}{25}, \frac{83}{50}, \frac{3}{4}, \frac{8}{9}, 1\frac{1}{2}$   
 least → greatest  
 $\frac{11}{25}, \frac{3}{4}, \frac{8}{9}, 1\frac{1}{2}, \frac{83}{50}$

# Ordering Fractions (G)

Name: \_\_\_\_\_

Date: \_\_\_\_\_

Order each set of fractions as indicated.

1)  $1\frac{5}{6}$ ,  $\frac{10}{5}$ ,  $\frac{5}{8}$ ,  $\frac{17}{12}$ ,  $\frac{6}{9}$   
greatest → least

2)  $\frac{1}{8}$ ,  $\frac{48}{20}$ ,  $1\frac{7}{9}$ ,  $\frac{10}{5}$ ,  $1\frac{8}{10}$   
least → greatest

3)  $\frac{6}{3}$ ,  $2\frac{87}{100}$ ,  $1\frac{2}{5}$ ,  $\frac{11}{6}$ ,  $2\frac{3}{9}$   
least → greatest

4)  $\frac{12}{6}$ ,  $\frac{7}{5}$ ,  $2\frac{1}{8}$ ,  $1\frac{11}{100}$ ,  $\frac{2}{10}$   
greatest → least

5)  $\frac{22}{9}$ ,  $2$ ,  $\frac{2}{10}$ ,  $\frac{6}{3}$ ,  $\frac{8}{8}$   
least → greatest

6)  $\frac{20}{25}$ ,  $\frac{61}{50}$ ,  $\frac{4}{10}$ ,  $\frac{255}{100}$ ,  $\frac{6}{3}$   
greatest → least

7)  $\frac{10}{12}$ ,  $1\frac{11}{25}$ ,  $\frac{244}{100}$ ,  $1\frac{1}{5}$ ,  $\frac{13}{10}$   
least → greatest

8)  $\frac{5}{5}$ ,  $\frac{5}{2}$ ,  $\frac{16}{10}$ ,  $\frac{4}{9}$ ,  $1\frac{47}{50}$   
least → greatest

9)  $\frac{10}{9}$ ,  $2\frac{2}{4}$ ,  $1\frac{1}{25}$ ,  $1\frac{2}{3}$ ,  $1\frac{58}{100}$   
least → greatest

10)  $1\frac{7}{9}$ ,  $2\frac{1}{2}$ ,  $\frac{7}{8}$ ,  $1\frac{1}{4}$ ,  $\frac{9}{25}$   
least → greatest

# Ordering Fractions (G) Answers

Name: \_\_\_\_\_

Date: \_\_\_\_\_

Order each set of fractions as indicated.

1)  $1\frac{5}{6}, \frac{10}{5}, \frac{5}{8}, \frac{17}{12}, \frac{6}{9}$   
 greatest → least  
 $\frac{10}{5}, 1\frac{5}{6}, \frac{17}{12}, \frac{6}{9}, \frac{5}{8}$

2)  $\frac{1}{8}, \frac{48}{20}, 1\frac{7}{9}, \frac{10}{5}, 1\frac{8}{10}$   
 least → greatest  
 $\frac{1}{8}, 1\frac{7}{9}, 1\frac{8}{10}, \frac{10}{5}, \frac{48}{20}$

3)  $\frac{6}{3}, 2\frac{87}{100}, 1\frac{2}{5}, \frac{11}{6}, 2\frac{3}{9}$   
 least → greatest  
 $1\frac{2}{5}, \frac{11}{6}, \frac{6}{3}, 2\frac{3}{9}, 2\frac{87}{100}$

4)  $\frac{12}{6}, \frac{7}{5}, 2\frac{1}{8}, 1\frac{11}{100}, \frac{2}{10}$   
 greatest → least  
 $2\frac{1}{8}, \frac{12}{6}, \frac{7}{5}, 1\frac{11}{100}, \frac{2}{10}$

5)  $\frac{22}{9}, 2, \frac{2}{10}, \frac{6}{3}, \frac{8}{8}$   
 least → greatest  
 $\frac{2}{10}, \frac{8}{8}, 2, \frac{6}{3}, \frac{22}{9}$

6)  $\frac{20}{25}, \frac{61}{50}, \frac{4}{10}, \frac{255}{100}, \frac{6}{3}$   
 greatest → least  
 $\frac{255}{100}, \frac{6}{3}, \frac{61}{50}, \frac{20}{25}, \frac{4}{10}$

7)  $\frac{10}{12}, 1\frac{11}{25}, \frac{244}{100}, 1\frac{1}{5}, \frac{13}{10}$   
 least → greatest  
 $\frac{10}{12}, 1\frac{1}{5}, \frac{13}{10}, 1\frac{11}{25}, \frac{244}{100}$

8)  $\frac{5}{5}, \frac{5}{2}, \frac{16}{10}, \frac{4}{9}, 1\frac{47}{50}$   
 least → greatest  
 $\frac{4}{9}, \frac{5}{5}, \frac{16}{10}, 1\frac{47}{50}, \frac{5}{2}$

9)  $\frac{10}{9}, 2\frac{2}{4}, 1\frac{1}{25}, 1\frac{2}{3}, 1\frac{58}{100}$   
 least → greatest  
 $1\frac{1}{25}, \frac{10}{9}, 1\frac{58}{100}, 1\frac{2}{3}, 2\frac{2}{4}$

10)  $1\frac{7}{9}, 2\frac{1}{2}, \frac{7}{8}, 1\frac{1}{4}, \frac{9}{25}$   
 least → greatest  
 $\frac{9}{25}, \frac{7}{8}, 1\frac{1}{4}, 1\frac{7}{9}, 2\frac{1}{2}$

# Ordering Fractions (H)

Name: \_\_\_\_\_

Date: \_\_\_\_\_

Order each set of fractions as indicated.

1)  $\frac{88}{100}, \frac{22}{9}, \frac{44}{25}, 2\frac{2}{3}, \frac{3}{4}$   
least —————→ greatest

2)  $1, \frac{28}{100}, \frac{19}{20}, \frac{2}{3}, \frac{33}{12}$   
least —————→ greatest

3)  $2, 2\frac{1}{2}, \frac{13}{100}, \frac{15}{50}, \frac{67}{25}$   
least —————→ greatest

4)  $\frac{10}{6}, \frac{9}{20}, \frac{1}{9}, 2\frac{2}{4}, \frac{1}{2}$   
greatest —————→ least

5)  $\frac{2}{6}, 2\frac{1}{5}, \frac{4}{4}, \frac{6}{3}, 2\frac{1}{2}$   
least —————→ greatest

6)  $\frac{11}{20}, \frac{4}{3}, \frac{74}{25}, \frac{10}{6}, \frac{5}{10}$   
least —————→ greatest

7)  $2\frac{13}{20}, \frac{1}{5}, \frac{17}{12}, \frac{38}{25}, \frac{7}{9}$   
greatest —————→ least

8)  $\frac{14}{10}, \frac{36}{25}, \frac{14}{20}, \frac{11}{8}, \frac{20}{9}$   
least —————→ greatest

9)  $\frac{16}{10}, 1\frac{4}{25}, \frac{2}{5}, \frac{13}{6}, \frac{46}{100}$   
least —————→ greatest

10)  $1\frac{22}{25}, 2, \frac{6}{3}, 1\frac{4}{6}, \frac{15}{8}$   
greatest —————→ least

# Ordering Fractions (H) Answers

Name: \_\_\_\_\_

Date: \_\_\_\_\_

Order each set of fractions as indicated.

1)  $\frac{88}{100}, \frac{22}{9}, \frac{44}{25}, 2\frac{2}{3}, \frac{3}{4}$   
 least → greatest  
 $\frac{3}{4}, \frac{88}{100}, \frac{44}{25}, \frac{22}{9}, 2\frac{2}{3}$

2)  $1, \frac{28}{100}, \frac{19}{20}, \frac{2}{3}, \frac{33}{12}$   
 least → greatest  
 $\frac{28}{100}, \frac{2}{3}, \frac{19}{20}, 1, \frac{33}{12}$

3)  $2, 2\frac{1}{2}, \frac{13}{100}, \frac{15}{50}, \frac{67}{25}$   
 least → greatest  
 $\frac{13}{100}, \frac{15}{50}, 2, 2\frac{1}{2}, \frac{67}{25}$

4)  $\frac{10}{6}, \frac{9}{20}, \frac{1}{9}, 2\frac{2}{4}, \frac{1}{2}$   
 greatest → least  
 $2\frac{2}{4}, \frac{10}{6}, \frac{1}{2}, \frac{9}{20}, \frac{1}{9}$

5)  $\frac{2}{6}, 2\frac{1}{5}, \frac{4}{4}, \frac{6}{3}, 2\frac{1}{2}$   
 least → greatest  
 $\frac{2}{6}, \frac{4}{4}, \frac{6}{3}, 2\frac{1}{5}, 2\frac{1}{2}$

6)  $\frac{11}{20}, \frac{4}{3}, \frac{74}{25}, \frac{10}{6}, \frac{5}{10}$   
 least → greatest  
 $\frac{5}{10}, \frac{11}{20}, \frac{4}{3}, \frac{10}{6}, \frac{74}{25}$

7)  $2\frac{13}{20}, \frac{1}{5}, \frac{17}{12}, \frac{38}{25}, \frac{7}{9}$   
 greatest → least  
 $2\frac{13}{20}, \frac{38}{25}, \frac{17}{12}, \frac{7}{9}, \frac{1}{5}$

8)  $\frac{14}{10}, \frac{36}{25}, \frac{14}{20}, \frac{11}{8}, \frac{20}{9}$   
 least → greatest  
 $\frac{14}{20}, \frac{11}{8}, \frac{14}{10}, \frac{36}{25}, \frac{20}{9}$

9)  $\frac{16}{10}, 1\frac{4}{25}, \frac{2}{5}, \frac{13}{6}, \frac{46}{100}$   
 least → greatest  
 $\frac{2}{5}, \frac{46}{100}, 1\frac{4}{25}, \frac{16}{10}, \frac{13}{6}$

10)  $1\frac{22}{25}, 2, \frac{6}{3}, 1\frac{4}{6}, \frac{15}{8}$   
 greatest → least  
 $2, \frac{6}{3}, 1\frac{22}{25}, \frac{15}{8}, 1\frac{4}{6}$

# Ordering Fractions (I)

Name: \_\_\_\_\_

Date: \_\_\_\_\_

Order each set of fractions as indicated.

1)  $2, \frac{2}{4}, \frac{3}{9}, \frac{6}{8}, 2\frac{2}{3}$   
least → greatest

2)  $1\frac{3}{6}, 1\frac{1}{8}, \frac{55}{25}, \frac{1}{9}, \frac{4}{2}$   
greatest → least

3)  $\frac{7}{5}, \frac{34}{100}, \frac{4}{50}, \frac{16}{25}, \frac{8}{9}$   
greatest → least

4)  $1, 2\frac{2}{4}, 2\frac{1}{5}, \frac{8}{10}, \frac{108}{50}$   
least → greatest

5)  $\frac{5}{20}, \frac{7}{12}, \frac{4}{2}, 1\frac{21}{25}, \frac{21}{10}$   
greatest → least

6)  $\frac{30}{12}, 2\frac{8}{10}, 2\frac{4}{9}, \frac{1}{4}, 2\frac{90}{100}$   
least → greatest

7)  $1\frac{2}{3}, 1\frac{3}{6}, 1\frac{9}{10}, \frac{7}{9}, 2\frac{15}{20}$   
greatest → least

8)  $\frac{2}{3}, \frac{2}{4}, 2\frac{4}{5}, 1, \frac{21}{50}$   
least → greatest

9)  $\frac{19}{25}, \frac{15}{10}, 1\frac{4}{12}, 1, 1\frac{86}{100}$   
least → greatest

10)  $\frac{1}{2}, 2\frac{2}{4}, \frac{60}{50}, 2\frac{7}{10}, 2\frac{2}{3}$   
least → greatest

# Ordering Fractions (I) Answers

Name: \_\_\_\_\_

Date: \_\_\_\_\_

Order each set of fractions as indicated.

1)  $2, \frac{2}{4}, \frac{3}{9}, \frac{6}{8}, 2\frac{2}{3}$   
 least → greatest  
 $\frac{3}{9}, \frac{2}{4}, \frac{6}{8}, 2, 2\frac{2}{3}$

2)  $1\frac{3}{6}, 1\frac{1}{8}, \frac{55}{25}, \frac{1}{9}, \frac{4}{2}$   
 greatest → least  
 $\frac{55}{25}, \frac{4}{2}, 1\frac{3}{6}, 1\frac{1}{8}, \frac{1}{9}$

3)  $\frac{7}{5}, \frac{34}{100}, \frac{4}{50}, \frac{16}{25}, \frac{8}{9}$   
 greatest → least  
 $\frac{7}{5}, \frac{8}{9}, \frac{16}{25}, \frac{34}{100}, \frac{4}{50}$

4)  $1, 2\frac{2}{4}, 2\frac{1}{5}, \frac{8}{10}, \frac{108}{50}$   
 least → greatest  
 $\frac{8}{10}, 1, \frac{108}{50}, 2\frac{1}{5}, 2\frac{2}{4}$

5)  $\frac{5}{20}, \frac{7}{12}, \frac{4}{2}, 1\frac{21}{25}, \frac{21}{10}$   
 greatest → least  
 $\frac{21}{10}, \frac{4}{2}, 1\frac{21}{25}, \frac{7}{12}, \frac{5}{20}$

6)  $\frac{30}{12}, 2\frac{8}{10}, 2\frac{4}{9}, \frac{1}{4}, 2\frac{90}{100}$   
 least → greatest  
 $\frac{1}{4}, 2\frac{4}{9}, \frac{30}{12}, 2\frac{8}{10}, 2\frac{90}{100}$

7)  $1\frac{2}{3}, 1\frac{3}{6}, 1\frac{9}{10}, \frac{7}{9}, 2\frac{15}{20}$   
 greatest → least  
 $2\frac{15}{20}, 1\frac{9}{10}, 1\frac{2}{3}, 1\frac{3}{6}, \frac{7}{9}$

8)  $\frac{2}{3}, \frac{2}{4}, 2\frac{4}{5}, 1, \frac{21}{50}$   
 least → greatest  
 $\frac{21}{50}, \frac{2}{4}, \frac{2}{3}, 1, 2\frac{4}{5}$

9)  $\frac{19}{25}, \frac{15}{10}, 1\frac{4}{12}, 1, 1\frac{86}{100}$   
 least → greatest  
 $\frac{19}{25}, 1, 1\frac{4}{12}, \frac{15}{10}, 1\frac{86}{100}$

10)  $\frac{1}{2}, 2\frac{2}{4}, \frac{60}{50}, 2\frac{7}{10}, 2\frac{2}{3}$   
 least → greatest  
 $\frac{1}{2}, \frac{60}{50}, 2\frac{2}{4}, 2\frac{2}{3}, 2\frac{7}{10}$

# Ordering Fractions (J)

Name: \_\_\_\_\_

Date: \_\_\_\_\_

Order each set of fractions as indicated.

1)  $\frac{2}{20}, \frac{10}{4}, \frac{3}{8}, \frac{15}{6}, 2\frac{5}{12}$   
greatest → least

2)  $\frac{24}{50}, 2\frac{5}{9}, 1\frac{7}{12}, \frac{29}{100}, \frac{21}{8}$   
least → greatest

3)  $2\frac{2}{3}, 1, 2\frac{79}{100}, \frac{2}{10}, 2\frac{7}{12}$   
greatest → least

4)  $2, 1\frac{8}{9}, \frac{165}{100}, \frac{26}{20}, \frac{8}{25}$   
greatest → least

5)  $\frac{132}{100}, 2\frac{4}{12}, \frac{131}{50}, \frac{13}{10}, \frac{14}{9}$   
greatest → least

6)  $\frac{7}{5}, \frac{15}{6}, \frac{2}{50}, \frac{61}{100}, 2$   
least → greatest

7)  $\frac{1}{8}, 2\frac{2}{6}, \frac{3}{4}, 2\frac{2}{10}, \frac{26}{12}$   
greatest → least

8)  $\frac{70}{25}, 2\frac{2}{6}, \frac{2}{12}, \frac{11}{20}, 2\frac{2}{3}$   
greatest → least

9)  $1\frac{1}{2}, \frac{6}{6}, 1\frac{4}{5}, \frac{19}{8}, \frac{71}{50}$   
least → greatest

10)  $2\frac{19}{20}, 1\frac{20}{50}, \frac{11}{4}, 1, 2\frac{3}{5}$   
least → greatest

# Ordering Fractions (J) Answers

Name: \_\_\_\_\_

Date: \_\_\_\_\_

Order each set of fractions as indicated.

1)  $\frac{2}{20}, \frac{10}{4}, \frac{3}{8}, \frac{15}{6}, 2\frac{5}{12}$   
 greatest → least  
 $\frac{10}{4}, \frac{15}{6}, 2\frac{5}{12}, \frac{3}{8}, \frac{2}{20}$

2)  $\frac{24}{50}, 2\frac{5}{9}, 1\frac{7}{12}, \frac{29}{100}, \frac{21}{8}$   
 least → greatest  
 $\frac{29}{100}, \frac{24}{50}, 1\frac{7}{12}, 2\frac{5}{9}, \frac{21}{8}$

3)  $2\frac{2}{3}, 1, 2\frac{79}{100}, \frac{2}{10}, 2\frac{7}{12}$   
 greatest → least  
 $2\frac{79}{100}, 2\frac{2}{3}, 2\frac{7}{12}, 1, \frac{2}{10}$

4)  $2, 1\frac{8}{9}, \frac{165}{100}, \frac{26}{20}, \frac{8}{25}$   
 greatest → least  
 $2, 1\frac{8}{9}, \frac{165}{100}, \frac{26}{20}, \frac{8}{25}$

5)  $\frac{132}{100}, 2\frac{4}{12}, \frac{131}{50}, \frac{13}{10}, \frac{14}{9}$   
 greatest → least  
 $\frac{131}{50}, 2\frac{4}{12}, \frac{14}{9}, \frac{132}{100}, \frac{13}{10}$

6)  $\frac{7}{5}, \frac{15}{6}, \frac{2}{50}, \frac{61}{100}, 2$   
 least → greatest  
 $\frac{2}{50}, \frac{61}{100}, \frac{7}{5}, 2, \frac{15}{6}$

7)  $\frac{1}{8}, 2\frac{2}{6}, \frac{3}{4}, 2\frac{2}{10}, \frac{26}{12}$   
 greatest → least  
 $2\frac{2}{6}, 2\frac{2}{10}, \frac{26}{12}, \frac{3}{4}, \frac{1}{8}$

8)  $\frac{70}{25}, 2\frac{2}{6}, \frac{2}{12}, \frac{11}{20}, 2\frac{2}{3}$   
 greatest → least  
 $\frac{70}{25}, 2\frac{2}{3}, 2\frac{2}{6}, \frac{11}{20}, \frac{2}{12}$

9)  $1\frac{1}{2}, \frac{6}{6}, 1\frac{4}{5}, \frac{19}{8}, \frac{71}{50}$   
 least → greatest  
 $\frac{6}{6}, \frac{71}{50}, 1\frac{1}{2}, 1\frac{4}{5}, \frac{19}{8}$

10)  $2\frac{19}{20}, 1\frac{20}{50}, \frac{11}{4}, 1, 2\frac{3}{5}$   
 least → greatest  
 $1, 1\frac{20}{50}, 2\frac{3}{5}, \frac{11}{4}, 2\frac{19}{20}$