

# Order of Operations with Decimals (A)

Name: \_\_\_\_\_

Date: \_\_\_\_\_

Simplify each expression using the correct order of operations.

$$(5.6 \times 1.5)^2 \div 9.8 + 2.4 - 6.8 + 7.2$$

$$(6.1 + (9.2)^2) \times ((0.5)^2 - 0.25) \div 4.1$$

$$4.4 + (8.5)^2 - 2.1 \times (5.4 \div 2.7)^2$$

$$(6.4 \times 1.5)^2 \div 2.4 + 0.2 - (5.3)^2$$

$$((9.5)^2 \div 2.5) \times (4.5 + 4.6 - 3.6 - 2.8)$$

$$((2.8)^2 + (6.6)^2 - 9.2) \times (2.1 \div 1.2)$$

# Order of Operations with Decimals (A) Answers

Name: \_\_\_\_\_

Date: \_\_\_\_\_

Simplify each expression using the correct order of operations.

$$\begin{aligned}
 & (\underline{5.6} \times \underline{1.5})^2 \div 9.8 + 2.4 - 6.8 + 7.2 \\
 &= (\underline{8.4})^2 \div 9.8 + 2.4 - 6.8 + 7.2 \\
 &= \underline{70.56} \div \underline{9.8} + 2.4 - 6.8 + 7.2 \\
 &= \underline{7.2} + \underline{2.4} - 6.8 + 7.2 \\
 &= \underline{9.6} - \underline{6.8} + 7.2 \\
 &= \underline{2.8} + \underline{7.2} \\
 &= \underline{10}
 \end{aligned}$$

$$\begin{aligned}
 & (6.1 + \underline{(9.2)}^2) \times ((0.5)^2 - 0.25) \div 4.1 \\
 &= (\underline{6.1} + \underline{84.64}) \times ((0.5)^2 - 0.25) \div 4.1 \\
 &= 90.74 \times ((\underline{0.5})^2 - 0.25) \div 4.1 \\
 &= 90.74 \times (\underline{0.25} - \underline{0.25}) \div 4.1 \\
 &= \underline{90.74} \times \underline{0} \div 4.1 \\
 &= \underline{0} \div \underline{4.1} \\
 &= \underline{0}
 \end{aligned}$$

$$\begin{aligned}
 & 4.4 + (8.5)^2 - 2.1 \times (\underline{5.4} \div \underline{2.7})^2 \\
 &= 4.4 + (\underline{8.5})^2 - 2.1 \times 2^2 \\
 &= 4.4 + 72.25 - 2.1 \times \underline{2}^2 \\
 &= 4.4 + 72.25 - \underline{2.1} \times 4 \\
 &= \underline{4.4} + \underline{72.25} - 8.4 \\
 &= \underline{76.65} - \underline{8.4} \\
 &= \underline{68.25}
 \end{aligned}$$

$$\begin{aligned}
 & (\underline{6.4} \times \underline{1.5})^2 \div 2.4 + 0.2 - (5.3)^2 \\
 &= (\underline{9.6})^2 \div 2.4 + 0.2 - (\underline{5.3})^2 \\
 &= 92.16 \div 2.4 + 0.2 - \underline{(5.3)}^2 \\
 &= \underline{92.16} \div \underline{2.4} + 0.2 - 28.09 \\
 &= \underline{38.4} + \underline{0.2} - 28.09 \\
 &= \underline{38.6} - \underline{28.09} \\
 &= \underline{10.51}
 \end{aligned}$$

$$\begin{aligned}
 & (\underline{(9.5)}^2 \div 2.5) \times (4.5 + 4.6 - 3.6 - 2.8) \\
 &= (\underline{90.25} \div \underline{2.5}) \times (4.5 + 4.6 - 3.6 - 2.8) \\
 &= 36.1 \times (\underline{4.5} + \underline{4.6} - 3.6 - 2.8) \\
 &= 36.1 \times (\underline{9.1} - \underline{3.6} - 2.8) \\
 &= 36.1 \times (\underline{5.5} - \underline{2.8}) \\
 &= \underline{36.1} \times \underline{2.7} \\
 &= \underline{97.47}
 \end{aligned}$$

$$\begin{aligned}
 & (\underline{(2.8)}^2 + (6.6)^2 - 9.2) \times (2.1 \div 1.2) \\
 &= (7.84 + (\underline{6.6})^2 - 9.2) \times (2.1 \div 1.2) \\
 &= (\underline{7.84} + \underline{43.56} - 9.2) \times (2.1 \div 1.2) \\
 &= (\underline{51.4} - \underline{9.2}) \times (2.1 \div 1.2) \\
 &= 42.2 \times (\underline{2.1} \div \underline{1.2}) \\
 &= \underline{42.2} \times \underline{1.75} \\
 &= \underline{73.85}
 \end{aligned}$$

# Order of Operations with Decimals (B)

Name: \_\_\_\_\_

Date: \_\_\_\_\_

Simplify each expression using the correct order of operations.

$$((1.5)^2 \times 6.6) \div (9.8 + 8.6 - (3.8)^2)$$

$$((3.1)^2 - 3.4 + (6.3)^2) \times (2.4 \div 1.6)$$

$$(9.8 \div (1.4)^2) \times 3.5 - 3.1 + 2.7 \times 1.6$$

$$(8.4 \div 1.2) \times 6.7 + 1.1 - (4.1)^2 - 3.9$$

$$((4.8)^2 \div 3.6) \times 1.25 + 3.3 - 7.2 + 1.9$$

$$6.1 \times ((1.9 + 2.2 - 4.1) \div (1.6)^2)^3$$

# Order of Operations with Decimals (B) Answers

Name: \_\_\_\_\_

Date: \_\_\_\_\_

Simplify each expression using the correct order of operations.

$$\begin{aligned}
 & (\underline{(1.5)^2} \times 6.6) \div (9.8 + 8.6 - (3.8)^2) \\
 &= (\underline{2.25} \times 6.6) \div (9.8 + 8.6 - (3.8)^2) \\
 &= 14.85 \div (9.8 + 8.6 - \underline{(3.8)^2}) \\
 &= 14.85 \div (\underline{9.8} + \underline{8.6} - 14.44) \\
 &= 14.85 \div (\underline{18.4} - \underline{14.44}) \\
 &= \underline{14.85} \div \underline{3.96} \\
 &= \underline{3.75}
 \end{aligned}$$

$$\begin{aligned}
 & (\underline{(3.1)^2} - 3.4 + (6.3)^2) \times (2.4 \div 1.6) \\
 &= (9.61 - 3.4 + \underline{(6.3)^2}) \times (2.4 \div 1.6) \\
 &= (\underline{9.61} - \underline{3.4} + \underline{39.69}) \times (2.4 \div 1.6) \\
 &= (\underline{6.21} + \underline{39.69}) \times (2.4 \div 1.6) \\
 &= 45.9 \times (\underline{2.4} \div \underline{1.6}) \\
 &= \underline{45.9} \times \underline{1.5} \\
 &= \underline{68.85}
 \end{aligned}$$

$$\begin{aligned}
 & (9.8 \div \underline{(1.4)^2}) \times 3.5 - 3.1 + 2.7 \times 1.6 \\
 &= (\underline{9.8} \div \underline{1.96}) \times 3.5 - 3.1 + 2.7 \times 1.6 \\
 &= \underline{5} \times \underline{3.5} - 3.1 + 2.7 \times 1.6 \\
 &= 17.5 - 3.1 + \underline{2.7} \times \underline{1.6} \\
 &= \underline{17.5} - \underline{3.1} + 4.32 \\
 &= \underline{14.4} + \underline{4.32} \\
 &= \underline{18.72}
 \end{aligned}$$

$$\begin{aligned}
 & (\underline{8.4} \div \underline{1.2}) \times 6.7 + 1.1 - (4.1)^2 - 3.9 \\
 &= 7 \times 6.7 + 1.1 - \underline{(4.1)^2} - 3.9 \\
 &= \underline{7} \times \underline{6.7} + 1.1 - 16.81 - 3.9 \\
 &= \underline{46.9} + \underline{1.1} - 16.81 - 3.9 \\
 &= \underline{48} - \underline{16.81} - 3.9 \\
 &= \underline{31.19} - \underline{3.9} \\
 &= \underline{27.29}
 \end{aligned}$$

$$\begin{aligned}
 & (\underline{(4.8)^2} \div 3.6) \times 1.25 + 3.3 - 7.2 + 1.9 \\
 &= (\underline{23.04} \div \underline{3.6}) \times 1.25 + 3.3 - 7.2 + 1.9 \\
 &= \underline{6.4} \times \underline{1.25} + 3.3 - 7.2 + 1.9 \\
 &= \underline{8} + \underline{3.3} - 7.2 + 1.9 \\
 &= \underline{11.3} - \underline{7.2} + 1.9 \\
 &= \underline{4.1} + \underline{1.9} \\
 &= \underline{6}
 \end{aligned}$$

$$\begin{aligned}
 & 6.1 \times ((\underline{1.9} + \underline{2.2} - 4.1) \div (1.6)^2)^3 \\
 &= 6.1 \times ((\underline{4.1} - \underline{4.1}) \div (1.6)^2)^3 \\
 &= 6.1 \times (0 \div \underline{(1.6)^2})^3 \\
 &= 6.1 \times (\underline{0} \div \underline{2.56})^3 \\
 &= 6.1 \times \underline{0}^3 \\
 &= \underline{6.1} \times \underline{0} \\
 &= \underline{0}
 \end{aligned}$$

# Order of Operations with Decimals (C)

Name: \_\_\_\_\_

Date: \_\_\_\_\_

Simplify each expression using the correct order of operations.

$$(8.7 \div 2.9)^2 \times 2.5 - 7.3 + 7.7 - 5.7$$

$$(3.1)^2 + 4.7 \times 1.9 \div (9.3 - 4.6) \times 6.9$$

$$(5.6)^2 \times ((6.4 + 6.6 - 2.8) \div 6.8)^2$$

$$(6.6 + (5.3)^2 - (1.9)^2) \div (1.4 \times 0.6)$$

$$(7.8 \div 0.75) \times 0.8 - (1.3)^2 + (6.4)^2$$

$$(4.5)^2 \div (5.8 - 4.3) \times 3.8 + (0.2)^2$$

# Order of Operations with Decimals (C) Answers

Name: \_\_\_\_\_

Date: \_\_\_\_\_

Simplify each expression using the correct order of operations.

$$\begin{aligned} & (\underline{8.7 \div 2.9})^2 \times 2.5 - 7.3 + 7.7 - 5.7 \\ &= \underline{3^2} \times 2.5 - 7.3 + 7.7 - 5.7 \\ &= \underline{9 \times 2.5} - 7.3 + 7.7 - 5.7 \\ &= \underline{22.5 - 7.3} + 7.7 - 5.7 \\ &= \underline{15.2 + 7.7} - 5.7 \\ &= \underline{22.9 - 5.7} \\ &= \underline{17.2} \end{aligned}$$

$$\begin{aligned} & (3.1)^2 + 4.7 \times 1.9 \div (\underline{9.3 - 4.6}) \times 6.9 \\ &= (\underline{3.1})^2 + 4.7 \times 1.9 \div 4.7 \times 6.9 \\ &= 9.61 + \underline{4.7 \times 1.9} \div 4.7 \times 6.9 \\ &= 9.61 + \underline{8.93 \div 4.7} \times 6.9 \\ &= 9.61 + \underline{1.9 \times 6.9} \\ &= \underline{9.61 + 13.11} \\ &= \underline{22.72} \end{aligned}$$

$$\begin{aligned} & (5.6)^2 \times ((\underline{6.4 + 6.6} - 2.8) \div 6.8)^2 \\ &= (5.6)^2 \times ((\underline{13 - 2.8}) \div 6.8)^2 \\ &= (5.6)^2 \times (\underline{10.2 \div 6.8})^2 \\ &= (\underline{5.6})^2 \times (1.5)^2 \\ &= 31.36 \times (\underline{1.5})^2 \\ &= \underline{31.36 \times 2.25} \\ &= \underline{70.56} \end{aligned}$$

$$\begin{aligned} & (6.6 + (\underline{5.3})^2 - (1.9)^2) \div (1.4 \times 0.6) \\ &= (6.6 + 28.09 - (\underline{1.9})^2) \div (1.4 \times 0.6) \\ &= (\underline{6.6 + 28.09} - 3.61) \div (1.4 \times 0.6) \\ &= (\underline{34.69} - 3.61) \div (1.4 \times 0.6) \\ &= 31.08 \div (\underline{1.4 \times 0.6}) \\ &= \underline{31.08 \div 0.84} \\ &= \underline{37} \end{aligned}$$

$$\begin{aligned} & (\underline{7.8 \div 0.75}) \times 0.8 - (1.3)^2 + (6.4)^2 \\ &= 10.4 \times 0.8 - (\underline{1.3})^2 + (6.4)^2 \\ &= 10.4 \times 0.8 - 1.69 + (\underline{6.4})^2 \\ &= \underline{10.4 \times 0.8} - 1.69 + 40.96 \\ &= \underline{8.32 - 1.69} + 40.96 \\ &= \underline{6.63 + 40.96} \\ &= \underline{47.59} \end{aligned}$$

$$\begin{aligned} & (4.5)^2 \div (\underline{5.8 - 4.3}) \times 3.8 + (0.2)^2 \\ &= (\underline{4.5})^2 \div 1.5 \times 3.8 + (0.2)^2 \\ &= 20.25 \div 1.5 \times 3.8 + (\underline{0.2})^2 \\ &= \underline{20.25 \div 1.5} \times 3.8 + 0.04 \\ &= \underline{13.5 \times 3.8} + 0.04 \\ &= \underline{51.3 + 0.04} \\ &= \underline{51.34} \end{aligned}$$

# Order of Operations with Decimals (D)

Name: \_\_\_\_\_

Date: \_\_\_\_\_

Simplify each expression using the correct order of operations.

$$(4.5)^2 - 9.6 + 1.4 \times (1.6 \div (2.2 - 1.8))$$

$$((5.3 + 3.3) \times 5.4) \div (1.5)^2 - 1.4 - 4.3$$

$$8.8 - 4.2 \div (5.6 + 4.9) \times 6.3 + (7.7)^2$$

$$(2.4 \div 1.5) \times 9.8 + (5.7)^2 - (2.7)^2$$

$$(2.2 \times (2.1 + 2.6 - 4.7)^3) \div (3.6 \div 2.5)$$

$$(7.2 \div (9.2 + 2.1 - 4.1))^2 \times (6.7)^2$$

# Order of Operations with Decimals (D) Answers

Name: \_\_\_\_\_

Date: \_\_\_\_\_

Simplify each expression using the correct order of operations.

$$\begin{aligned}(4.5)^2 - 9.6 + 1.4 \times (1.6 \div (\underline{2.2 - 1.8})) \\= (4.5)^2 - 9.6 + 1.4 \times (\underline{1.6 \div 0.4}) \\= \underline{(4.5)^2} - 9.6 + 1.4 \times 4 \\= 20.25 - 9.6 + \underline{1.4 \times 4} \\= \underline{20.25 - 9.6} + 5.6 \\= \underline{10.65 + 5.6} \\= 16.25\end{aligned}$$

$$\begin{aligned}((\underline{5.3 + 3.3}) \times 5.4) \div (1.5)^2 - 1.4 - 4.3 \\= (\underline{8.6 \times 5.4}) \div (1.5)^2 - 1.4 - 4.3 \\= 46.44 \div \underline{(1.5)^2} - 1.4 - 4.3 \\= \underline{46.44 \div 2.25} - 1.4 - 4.3 \\= \underline{20.64 - 1.4} - 4.3 \\= \underline{19.24 - 4.3} \\= 14.94\end{aligned}$$

$$\begin{aligned}8.8 - 4.2 \div (\underline{5.6 + 4.9}) \times 6.3 + (7.7)^2 \\= 8.8 - 4.2 \div 10.5 \times 6.3 + \underline{(7.7)^2} \\= 8.8 - \underline{4.2 \div 10.5} \times 6.3 + 59.29 \\= 8.8 - \underline{0.4 \times 6.3} + 59.29 \\= \underline{8.8 - 2.52} + 59.29 \\= \underline{6.28 + 59.29} \\= 65.57\end{aligned}$$

$$\begin{aligned}(\underline{2.4 \div 1.5}) \times 9.8 + (5.7)^2 - (2.7)^2 \\= 1.6 \times 9.8 + \underline{(5.7)^2} - (2.7)^2 \\= 1.6 \times 9.8 + 32.49 - \underline{(2.7)^2} \\= \underline{1.6 \times 9.8} + 32.49 - 7.29 \\= \underline{15.68 + 32.49} - 7.29 \\= \underline{48.17 - 7.29} \\= 40.88\end{aligned}$$

$$\begin{aligned}\left(2.2 \times (\underline{2.1 + 2.6} - 4.7)^3\right) \div (3.6 \div 2.5) \\= \left(2.2 \times (\underline{4.7 - 4.7})^3\right) \div (3.6 \div 2.5) \\= (2.2 \times \underline{0^3}) \div (3.6 \div 2.5) \\= (\underline{2.2 \times 0}) \div (3.6 \div 2.5) \\= 0 \div (\underline{3.6 \div 2.5}) \\= \underline{0 \div 1.44} \\= 0\end{aligned}$$

$$\begin{aligned}\left(7.2 \div (\underline{9.2 + 2.1} - 4.1)\right)^2 \times (6.7)^2 \\= \left(7.2 \div (\underline{11.3 - 4.1})\right)^2 \times (6.7)^2 \\= (\underline{7.2 \div 7.2})^2 \times (6.7)^2 \\= \underline{1^2} \times (6.7)^2 \\= 1 \times \underline{(6.7)^2} \\= \underline{1 \times 44.89} \\= 44.89\end{aligned}$$

# Order of Operations with Decimals (E)

Name: \_\_\_\_\_

Date: \_\_\_\_\_

Simplify each expression using the correct order of operations.

$$(2.6 \times 6.9) \div 0.25 + (3.7)^2 - (1.7)^2$$

$$0.25 \times ((3.8 + 2.4)^2 \div (4.6 - 1.5)^2)$$

$$((8.2 - 1.2) \times 9.4) \div 2.5 + (2.8)^2 - 3.9$$

$$((4.5 + 2.1) \div 3.75) \times (3.7 - 1.4 + 5.2)^2$$

$$(9.2)^2 - (2.5)^2 \times (6.2 + 5.2) \div 7.5$$

$$\left( (1.6)^2 \times (8.7 + 9.3) \right) \div 1.8 - 3.7 - 1.9$$

# Order of Operations with Decimals (E) Answers

Name: \_\_\_\_\_

Date: \_\_\_\_\_

Simplify each expression using the correct order of operations.

$$\begin{aligned} & (\underline{2.6 \times 6.9}) \div 0.25 + (3.7)^2 - (1.7)^2 \\ &= 17.94 \div 0.25 + \underline{(3.7)^2} - (1.7)^2 \\ &= 17.94 \div 0.25 + 13.69 - \underline{(1.7)^2} \\ &= \underline{17.94 \div 0.25} + 13.69 - 2.89 \\ &= \underline{71.76 + 13.69} - 2.89 \\ &= \underline{85.45} - 2.89 \\ &= \underline{82.56} \end{aligned}$$

$$\begin{aligned} & 0.25 \times \left( (\underline{3.8 + 2.4})^2 \div (4.6 - 1.5)^2 \right) \\ &= 0.25 \times \left( (6.2)^2 \div (\underline{4.6 - 1.5})^2 \right) \\ &= 0.25 \times \left( \underline{(6.2)^2} \div (3.1)^2 \right) \\ &= 0.25 \times \left( 38.44 \div \underline{(3.1)^2} \right) \\ &= 0.25 \times \left( \underline{38.44 \div 9.61} \right) \\ &= \underline{0.25 \times 4} \\ &= \underline{1} \end{aligned}$$

$$\begin{aligned} & ((\underline{8.2 - 1.2}) \times 9.4) \div 2.5 + (2.8)^2 - 3.9 \\ &= (\underline{7 \times 9.4}) \div 2.5 + (2.8)^2 - 3.9 \\ &= 65.8 \div 2.5 + \underline{(2.8)^2} - 3.9 \\ &= \underline{65.8 \div 2.5} + 7.84 - 3.9 \\ &= \underline{26.32 + 7.84} - 3.9 \\ &= \underline{34.16} - 3.9 \\ &= \underline{30.26} \end{aligned}$$

$$\begin{aligned} & ((\underline{4.5 + 2.1}) \div 3.75) \times (3.7 - 1.4 + 5.2)^2 \\ &= (\underline{6.6 \div 3.75}) \times (3.7 - 1.4 + 5.2)^2 \\ &= 1.76 \times (\underline{3.7 - 1.4} + 5.2)^2 \\ &= 1.76 \times (\underline{2.3 + 5.2})^2 \\ &= 1.76 \times \underline{(7.5)^2} \\ &= \underline{1.76 \times 56.25} \\ &= \underline{99} \end{aligned}$$

$$\begin{aligned} & (9.2)^2 - (2.5)^2 \times (\underline{6.2 + 5.2}) \div 7.5 \\ &= (\underline{9.2})^2 - (2.5)^2 \times 11.4 \div 7.5 \\ &= 84.64 - \underline{(2.5)^2} \times 11.4 \div 7.5 \\ &= 84.64 - \underline{6.25 \times 11.4} \div 7.5 \\ &= 84.64 - \underline{71.25 \div 7.5} \\ &= \underline{84.64} - 9.5 \\ &= \underline{75.14} \end{aligned}$$

$$\begin{aligned} & ((1.6)^2 \times (\underline{8.7 + 9.3})) \div 1.8 - 3.7 - 1.9 \\ &= (\underline{(1.6)^2} \times 18) \div 1.8 - 3.7 - 1.9 \\ &= (\underline{2.56 \times 18}) \div 1.8 - 3.7 - 1.9 \\ &= \underline{46.08 \div 1.8} - 3.7 - 1.9 \\ &= \underline{25.6} - 3.7 - 1.9 \\ &= \underline{21.9} - 1.9 \\ &= \underline{20} \end{aligned}$$

# Order of Operations with Decimals (F)

Name: \_\_\_\_\_

Date: \_\_\_\_\_

Simplify each expression using the correct order of operations.

$$(1.7 + 2.3)^3 \div (9.8 - 1.8) \times (1.4 + 3.5)$$

$$(1.7 + 2.4) \times 7.5 \div 2.5 - (3.2)^2 + 1.25$$

$$(9.6)^2 \times ((2.6 - 1.6 + 5.1) \div 6.1)^2$$

$$\left( (1.5)^2 \div 4.5 \right) \times (2.2)^2 + 2.6 - 1.4$$

$$\left( 3.9 \div (6.9 - 5.9)^3 \right) \times (9.2 + 2.7 + 5.6)$$

$$9.1 \times ((8.5 - 6.8 + 2.1) \div (6.9 - 3.1))^3$$

# Order of Operations with Decimals (F) Answers

Name: \_\_\_\_\_

Date: \_\_\_\_\_

Simplify each expression using the correct order of operations.

$$\begin{aligned} & (\underline{1.7 + 2.3})^3 \div (9.8 - 1.8) \times (1.4 + 3.5) & & (\underline{1.7 + 2.4}) \times 7.5 \div 2.5 - (3.2)^2 + 1.25 \\ & = 4^3 \div (\underline{9.8 - 1.8}) \times (1.4 + 3.5) & & = 4.1 \times 7.5 \div 2.5 - (\underline{3.2})^2 + 1.25 \\ & = 4^3 \div 8 \times (\underline{1.4 + 3.5}) & & = \underline{4.1 \times 7.5} \div 2.5 - 10.24 + 1.25 \\ & = \underline{4^3} \div 8 \times 4.9 & & = \underline{30.75 \div 2.5} - 10.24 + 1.25 \\ & = \underline{64 \div 8} \times 4.9 & & = \underline{12.3 - 10.24} + 1.25 \\ & = \underline{8 \times 4.9} & & = \underline{2.06 + 1.25} \\ & = 39.2 & & = 3.31 \end{aligned}$$

$$\begin{aligned} & (9.6)^2 \times ((\underline{2.6 - 1.6} + 5.1) \div 6.1)^2 & & (\underline{(1.5)^2} \div 4.5) \times (2.2)^2 + 2.6 - 1.4 \\ & = (9.6)^2 \times ((\underline{1 + 5.1}) \div 6.1)^2 & & = (\underline{2.25 \div 4.5}) \times (2.2)^2 + 2.6 - 1.4 \\ & = (9.6)^2 \times (\underline{6.1 \div 6.1})^2 & & = 0.5 \times (\underline{2.2})^2 + 2.6 - 1.4 \\ & = (\underline{9.6})^2 \times 1^2 & & = \underline{0.5 \times 4.84} + 2.6 - 1.4 \\ & = 92.16 \times \underline{1^2} & & = \underline{2.42 + 2.6} - 1.4 \\ & = \underline{92.16 \times 1} & & = \underline{5.02 - 1.4} \\ & = 92.16 & & = 3.62 \end{aligned}$$

$$\begin{aligned} & (3.9 \div (\underline{6.9 - 5.9})^3) \times (9.2 + 2.7 + 5.6) & & 9.1 \times ((\underline{8.5 - 6.8} + 2.1) \div (6.9 - 3.1))^3 \\ & = (3.9 \div \underline{1^3}) \times (9.2 + 2.7 + 5.6) & & = 9.1 \times ((\underline{1.7 + 2.1}) \div (6.9 - 3.1))^3 \\ & = (\underline{3.9 \div 1}) \times (9.2 + 2.7 + 5.6) & & = 9.1 \times (3.8 \div (\underline{6.9 - 3.1}))^3 \\ & = 3.9 \times (\underline{9.2 + 2.7} + 5.6) & & = 9.1 \times (\underline{3.8 \div 3.8})^3 \\ & = 3.9 \times (\underline{11.9 + 5.6}) & & = 9.1 \times \underline{1^3} \\ & = \underline{3.9 \times 17.5} & & = \underline{9.1 \times 1} \\ & = 68.25 & & = 9.1 \end{aligned}$$

# Order of Operations with Decimals (G)

Name: \_\_\_\_\_

Date: \_\_\_\_\_

Simplify each expression using the correct order of operations.

$$3.3 \times (9.4 - 7.9) \div 1.1 + 7.8 + (3.1)^2$$

$$(7.3 \div (3.3 - 2.3)^3) \times 8.1 + 1.6 - 6.6$$

$$(9.3 - 8.3) \div 2.5 \times 2.2 + (9.2)^2 - 4.1$$

$$9.1 + 4.8 \times ((8.3 - 3.5)^2 \div (5.1 + 7.7))$$

$$((6.3 - 4.7)^2 \div 0.2) \times 4.9 + (0.4)^2$$

$$((8.9 - 7.4)^2 \times 9.2) \div (1.1 + 4.3 + 2.1)$$

# Order of Operations with Decimals (G) Answers

Name: \_\_\_\_\_

Date: \_\_\_\_\_

Simplify each expression using the correct order of operations.

$$\begin{aligned} & 3.3 \times (9.4 - 7.9) \div 1.1 + 7.8 + (3.1)^2 \\ &= 3.3 \times 1.5 \div 1.1 + 7.8 + (3.1)^2 \\ &= 3.3 \times 1.5 \div 1.1 + 7.8 + 9.61 \\ &= 4.95 \div 1.1 + 7.8 + 9.61 \\ &= 4.5 + 7.8 + 9.61 \\ &= 12.3 + 9.61 \\ &= 21.91 \end{aligned}$$

$$\begin{aligned} & (7.3 \div (3.3 - 2.3)^3) \times 8.1 + 1.6 - 6.6 \\ &= (7.3 \div 1^3) \times 8.1 + 1.6 - 6.6 \\ &= (7.3 \div 1) \times 8.1 + 1.6 - 6.6 \\ &= 7.3 \times 8.1 + 1.6 - 6.6 \\ &= 59.13 + 1.6 - 6.6 \\ &= 60.73 - 6.6 \\ &= 54.13 \end{aligned}$$

$$\begin{aligned} & (9.3 - 8.3) \div 2.5 \times 2.2 + (9.2)^2 - 4.1 \\ &= 1 \div 2.5 \times 2.2 + (9.2)^2 - 4.1 \\ &= 1 \div 2.5 \times 2.2 + 84.64 - 4.1 \\ &= 0.4 \times 2.2 + 84.64 - 4.1 \\ &= 0.88 + 84.64 - 4.1 \\ &= 85.52 - 4.1 \\ &= 81.42 \end{aligned}$$

$$\begin{aligned} & 9.1 + 4.8 \times ((8.3 - 3.5)^2 \div (5.1 + 7.7)) \\ &= 9.1 + 4.8 \times ((4.8)^2 \div (5.1 + 7.7)) \\ &= 9.1 + 4.8 \times ((4.8)^2 \div 12.8) \\ &= 9.1 + 4.8 \times (23.04 \div 12.8) \\ &= 9.1 + 4.8 \times 1.8 \\ &= 9.1 + 8.64 \\ &= 17.74 \end{aligned}$$

$$\begin{aligned} & ((6.3 - 4.7)^2 \div 0.2) \times 4.9 + (0.4)^2 \\ &= ((1.6)^2 \div 0.2) \times 4.9 + (0.4)^2 \\ &= (2.56 \div 0.2) \times 4.9 + (0.4)^2 \\ &= 12.8 \times 4.9 + (0.4)^2 \\ &= 12.8 \times 4.9 + 0.16 \\ &= 62.72 + 0.16 \\ &= 62.88 \end{aligned}$$

$$\begin{aligned} & ((8.9 - 7.4)^2 \times 9.2) \div (1.1 + 4.3 + 2.1) \\ &= ((1.5)^2 \times 9.2) \div (1.1 + 4.3 + 2.1) \\ &= (2.25 \times 9.2) \div (1.1 + 4.3 + 2.1) \\ &= 20.7 \div (1.1 + 4.3 + 2.1) \\ &= 20.7 \div (5.4 + 2.1) \\ &= 20.7 \div 7.5 \\ &= 2.76 \end{aligned}$$

# Order of Operations with Decimals (H)

Name: \_\_\_\_\_

Date: \_\_\_\_\_

Simplify each expression using the correct order of operations.

$$(3.3 \div 6.6) \times 9.1 + 5.2 - 7.6 + (3.1)^2$$

$$\left( (2.4)^2 \div 7.2 \right) \times 9.6 + (7.3)^2 - 1.3$$

$$(4.3)^2 + 3.6 \div 0.4 \times \left( 8.7 - (2.5)^2 \right)$$

$$(7.2 - 5.5) \times 7.1 \div 1.7 + 9.5 - (2.5)^2$$

$$(2.7)^2 - 9.3 \div 6.2 \times \left( (1.6)^2 + 0.4 \right)$$

$$(4.6)^2 - (4.5)^2 + 8.6 \times (5.4 \div 2.7)$$

# Order of Operations with Decimals (H) Answers

Name: \_\_\_\_\_

Date: \_\_\_\_\_

Simplify each expression using the correct order of operations.

$$\begin{aligned} & (\underline{3.3 \div 6.6}) \times 9.1 + 5.2 - 7.6 + (3.1)^2 \\ &= 0.5 \times 9.1 + 5.2 - 7.6 + \underline{(3.1)^2} \\ &= \underline{0.5 \times 9.1} + 5.2 - 7.6 + 9.61 \\ &= \underline{4.55 + 5.2} - 7.6 + 9.61 \\ &= \underline{9.75 - 7.6} + 9.61 \\ &= \underline{2.15 + 9.61} \\ &= \underline{11.76} \end{aligned}$$

$$\begin{aligned} & (\underline{(2.4)^2 \div 7.2}) \times 9.6 + (7.3)^2 - 1.3 \\ &= (\underline{5.76 \div 7.2}) \times 9.6 + (7.3)^2 - 1.3 \\ &= 0.8 \times 9.6 + \underline{(7.3)^2} - 1.3 \\ &= \underline{0.8 \times 9.6} + 53.29 - 1.3 \\ &= \underline{7.68 + 53.29} - 1.3 \\ &= \underline{60.97 - 1.3} \\ &= \underline{59.67} \end{aligned}$$

$$\begin{aligned} & (4.3)^2 + 3.6 \div 0.4 \times (8.7 - \underline{(2.5)^2}) \\ &= (4.3)^2 + 3.6 \div 0.4 \times (\underline{8.7 - 6.25}) \\ &= \underline{(4.3)^2} + 3.6 \div 0.4 \times 2.45 \\ &= 18.49 + \underline{3.6 \div 0.4} \times 2.45 \\ &= 18.49 + \underline{9 \times 2.45} \\ &= \underline{18.49 + 22.05} \\ &= \underline{40.54} \end{aligned}$$

$$\begin{aligned} & (\underline{7.2 - 5.5}) \times 7.1 \div 1.7 + 9.5 - (2.5)^2 \\ &= 1.7 \times 7.1 \div 1.7 + 9.5 - \underline{(2.5)^2} \\ &= \underline{1.7 \times 7.1} \div 1.7 + 9.5 - 6.25 \\ &= \underline{12.07 \div 1.7} + 9.5 - 6.25 \\ &= \underline{7.1 + 9.5} - 6.25 \\ &= \underline{16.6 - 6.25} \\ &= \underline{10.35} \end{aligned}$$

$$\begin{aligned} & (2.7)^2 - 9.3 \div 6.2 \times (\underline{(1.6)^2} + 0.4) \\ &= (2.7)^2 - 9.3 \div 6.2 \times (\underline{2.56 + 0.4}) \\ &= \underline{(2.7)^2} - 9.3 \div 6.2 \times 2.96 \\ &= 7.29 - \underline{9.3 \div 6.2} \times 2.96 \\ &= 7.29 - \underline{1.5 \times 2.96} \\ &= \underline{7.29 - 4.44} \\ &= \underline{2.85} \end{aligned}$$

$$\begin{aligned} & (4.6)^2 - (4.5)^2 + 8.6 \times (\underline{5.4 \div 2.7}) \\ &= \underline{(4.6)^2} - (4.5)^2 + 8.6 \times 2 \\ &= 21.16 - \underline{(4.5)^2} + 8.6 \times 2 \\ &= 21.16 - 20.25 + \underline{8.6 \times 2} \\ &= \underline{21.16 - 20.25} + 17.2 \\ &= \underline{0.91 + 17.2} \\ &= \underline{18.11} \end{aligned}$$

# Order of Operations with Decimals (I)

Name: \_\_\_\_\_

Date: \_\_\_\_\_

Simplify each expression using the correct order of operations.

$$(4.2 \div 0.2) \times (0.5)^2 - 0.8 + (7.1)^2$$

$$(5.4 \times 5.7) \div 9.5 + (3.6)^2 - 4.3 + 9.1$$

$$5.7 \times (9.2 + (6.7)^2 - (7.3)^2) \div 0.2$$

$$(8.7 + 3.4 - 1.1) \times ((1.2)^2 \div (5.5 - 1.5))$$

$$(1.8 + 2.4)^2 \times (9.2 - 7.2)^2 \div 1.2$$

$$(8.7 \div (5.3 - 0.5 + 3.9))^2 \times (9.2)^2$$

# Order of Operations with Decimals (I) Answers

Name: \_\_\_\_\_

Date: \_\_\_\_\_

Simplify each expression using the correct order of operations.

$$\begin{aligned} & (\underline{4.2 \div 0.2}) \times (0.5)^2 - 0.8 + (7.1)^2 \\ &= 21 \times (\underline{0.5})^2 - 0.8 + (7.1)^2 \\ &= 21 \times 0.25 - 0.8 + (\underline{7.1})^2 \\ &= \underline{21 \times 0.25} - 0.8 + 50.41 \\ &= \underline{5.25} - 0.8 + 50.41 \\ &= \underline{4.45} + 50.41 \\ &= \underline{54.86} \end{aligned}$$

$$\begin{aligned} & (\underline{5.4 \times 5.7}) \div 9.5 + (3.6)^2 - 4.3 + 9.1 \\ &= 30.78 \div 9.5 + (\underline{3.6})^2 - 4.3 + 9.1 \\ &= \underline{30.78 \div 9.5} + 12.96 - 4.3 + 9.1 \\ &= \underline{3.24} + 12.96 - 4.3 + 9.1 \\ &= \underline{16.2} - 4.3 + 9.1 \\ &= \underline{11.9} + 9.1 \\ &= \underline{21} \end{aligned}$$

$$\begin{aligned} & 5.7 \times (9.2 + (\underline{6.7})^2 - (7.3)^2) \div 0.2 \\ &= 5.7 \times (9.2 + 44.89 - (\underline{7.3})^2) \div 0.2 \\ &= 5.7 \times (\underline{9.2 + 44.89} - 53.29) \div 0.2 \\ &= 5.7 \times (\underline{54.09} - 53.29) \div 0.2 \\ &= \underline{5.7 \times 0.8} \div 0.2 \\ &= \underline{4.56} \div 0.2 \\ &= \underline{22.8} \end{aligned}$$

$$\begin{aligned} & (\underline{8.7 + 3.4} - 1.1) \times ((1.2)^2 \div (5.5 - 1.5)) \\ &= (\underline{12.1} - 1.1) \times ((1.2)^2 \div (5.5 - 1.5)) \\ &= 11 \times ((1.2)^2 \div (\underline{5.5} - 1.5)) \\ &= 11 \times (\underline{(1.2)}^2 \div 4) \\ &= 11 \times (\underline{1.44} \div 4) \\ &= \underline{11 \times 0.36} \\ &= \underline{3.96} \end{aligned}$$

$$\begin{aligned} & (\underline{1.8 + 2.4})^2 \times (9.2 - 7.2)^2 \div 1.2 \\ &= (4.2)^2 \times (\underline{9.2} - \underline{7.2})^2 \div 1.2 \\ &= (\underline{4.2})^2 \times 2^2 \div 1.2 \\ &= 17.64 \times \underline{2^2} \div 1.2 \\ &= \underline{17.64 \times 4} \div 1.2 \\ &= \underline{70.56} \div 1.2 \\ &= \underline{58.8} \end{aligned}$$

$$\begin{aligned} & (8.7 \div (\underline{5.3} - \underline{0.5} + 3.9))^2 \times (9.2)^2 \\ &= (8.7 \div (\underline{4.8} + \underline{3.9}))^2 \times (9.2)^2 \\ &= (\underline{8.7} \div \underline{8.7})^2 \times (9.2)^2 \\ &= \underline{1^2} \times (9.2)^2 \\ &= 1 \times (\underline{9.2})^2 \\ &= \underline{1 \times 84.64} \\ &= \underline{84.64} \end{aligned}$$

# Order of Operations with Decimals (J)

Name: \_\_\_\_\_

Date: \_\_\_\_\_

Simplify each expression using the correct order of operations.

$$(6.4)^2 + 1.8 \div (4.7 - 3.5) \times (1.2)^2$$

$$\left(1.8 \div (0.4)^2\right) \times 6.4 + 8.3 - (3.3)^2$$

$$(9.6 \div 1.2) \times 3.1 - 7.8 + 6.7 - (2.3)^2$$

$$\left((0.4)^2 \times 7.5\right) \div 2.4 + (4.4)^2 - 4.7$$

$$(9.9 \div 2.2) \times 9.5 - 3.75 + 1.25 - (5.2)^2$$

$$\left((1.3)^2 + (3.3)^2\right) \times ((6.9 - 2.1) \div 3.2)$$

# Order of Operations with Decimals (J) Answers

Name: \_\_\_\_\_

Date: \_\_\_\_\_

Simplify each expression using the correct order of operations.

$$\begin{aligned}(6.4)^2 + 1.8 \div (4.7 - 3.5) \times (1.2)^2 \\= \underline{(6.4)^2} + 1.8 \div 1.2 \times (1.2)^2 \\= 40.96 + 1.8 \div 1.2 \times \underline{(1.2)^2} \\= 40.96 + \underline{1.8 \div 1.2} \times 1.44 \\= 40.96 + \underline{1.5 \times 1.44} \\= \underline{40.96 + 2.16} \\= \underline{43.12}\end{aligned}$$

$$\begin{aligned}(1.8 \div (0.4)^2) \times 6.4 + 8.3 - (3.3)^2 \\= (\underline{1.8 \div 0.16}) \times 6.4 + 8.3 - (3.3)^2 \\= 11.25 \times 6.4 + 8.3 - \underline{(3.3)^2} \\= \underline{11.25 \times 6.4} + 8.3 - 10.89 \\= \underline{72 + 8.3} - 10.89 \\= \underline{80.3} - 10.89 \\= \underline{69.41}\end{aligned}$$

$$\begin{aligned}(\underline{9.6 \div 1.2}) \times 3.1 - 7.8 + 6.7 - (2.3)^2 \\= 8 \times 3.1 - 7.8 + 6.7 - \underline{(2.3)^2} \\= \underline{8 \times 3.1} - 7.8 + 6.7 - 5.29 \\= \underline{24.8} - \underline{7.8} + 6.7 - 5.29 \\= \underline{17 + 6.7} - 5.29 \\= \underline{23.7} - \underline{5.29} \\= \underline{18.41}\end{aligned}$$

$$\begin{aligned}(\underline{(0.4)^2} \times 7.5) \div 2.4 + (4.4)^2 - 4.7 \\= (\underline{0.16} \times \underline{7.5}) \div 2.4 + (4.4)^2 - 4.7 \\= 1.2 \div 2.4 + \underline{(4.4)^2} - 4.7 \\= \underline{1.2 \div 2.4} + 19.36 - 4.7 \\= \underline{0.5} + \underline{19.36} - 4.7 \\= \underline{19.86} - \underline{4.7} \\= \underline{15.16}\end{aligned}$$

$$\begin{aligned}(\underline{9.9 \div 2.2}) \times 9.5 - 3.75 + 1.25 - (5.2)^2 \\= 4.5 \times 9.5 - 3.75 + 1.25 - \underline{(5.2)^2} \\= \underline{4.5 \times 9.5} - 3.75 + 1.25 - 27.04 \\= \underline{42.75} - \underline{3.75} + 1.25 - 27.04 \\= \underline{39 + 1.25} - 27.04 \\= \underline{40.25} - \underline{27.04} \\= \underline{13.21}\end{aligned}$$

$$\begin{aligned}(\underline{(1.3)^2} + (3.3)^2) \times ((6.9 - 2.1) \div 3.2) \\= (1.69 + \underline{(3.3)^2}) \times ((6.9 - 2.1) \div 3.2) \\= (\underline{1.69} + \underline{10.89}) \times ((6.9 - 2.1) \div 3.2) \\= 12.58 \times ((\underline{6.9} - \underline{2.1}) \div 3.2) \\= 12.58 \times (\underline{4.8} \div \underline{3.2}) \\= \underline{12.58} \times \underline{1.5} \\= \underline{18.87}\end{aligned}$$